



IMAGINOVA

Version 5.0

Starry Night™

ENTHUSIAST

User's Guide

FOR MACINTOSH AND WINDOWS



IMAGINOVA.

284 Richmond St. E.
Suite 300
Toronto, ON
M5A 1P4, Canada

www.starrynight.com

©2004 Imaginova Corp.

All rights reserved. Starry Night and Imaginova are trademarks of Imaginova Corp.

Microsoft and Windows are trademarks of Microsoft Corporation. Apple, Macintosh, Mac, and QuickTime are registered trademarks of Apple Computer, Inc.

OpenGL® is a registered trademark owned by Silicon Graphics, Inc.

Printed in Canada.




Table of Contents

Getting Started

| | |
|--|----|
| Welcome | 7 |
| Outline Of This User's Guide | 8 |
| Starry Night Companion | 9 |
| Special Fonts | 9 |
| Installing Starry Night Enthusiast 5.0 | 9 |
| Running Starry Night Enthusiast 5.0 | 11 |
| Registering | 11 |
| Data Updates | 12 |
| Setting Your Home Location | 13 |
| Starry Night For the First Time | 14 |
| Getting Help | 14 |
| Program Updates | 15 |
| Starry Night Website | 15 |

Basics

| | |
|--|----|
| 10 Important Features | 17 |
| Using The Controls | 18 |
| Changing Your Viewing Direction | 19 |
| Changing The Date And Time | 20 |
| Identifying Objects In The Sky | 21 |
| Labeling Objects | 21 |
| Displaying Constellation Figures | 21 |
| Finding Objects | 22 |
| Zooming In On Objects | 23 |
| Learning More About Objects | 25 |
| Printing Star Charts | 26 |

Appearance of the Sky

| | |
|------------------------------------|----|
| Sky Contextual Menu | 27 |
| Options Pane | 28 |
| Light | 29 |
| Changing the Horizon | 31 |
| Displaying Celestial Objects | 31 |
| Labeling Celestial Objects | 32 |

| | |
|--|----|
| Celestial Object Display Options | 33 |
| Star Display Options | 33 |
| Star Brightness, Contrast & Colour | 34 |
| Planet Display Options..... | 35 |
| Comet, Asteroid & Satellite Display Options..... | 37 |
| Messier Objects/Bright NGC Objects Options | 37 |
| Milky Way Display Options | 38 |
| Tully Database Display Options | 38 |
| Selecting Filaments and Groups | 39 |
| Other Object Display Options..... | 40 |
| Label Options..... | 40 |
| Constellations..... | 41 |
| Guides | 43 |
| Heads-Up Display (HUD) Options | 44 |
| OpenGL Options | 45 |
| Saving Your Settings | 46 |
| Sky Data | |
| SkyGuide..... | 50 |
| SkyCalendar | 51 |
| DVD Movies | 55 |
| LiveSky Pane | 55 |
| Status Info | 56 |
| Online Telescope Imaging | 58 |
| Object Data | |
| Introduction to Databases..... | 60 |
| Databases 1 (Solar System)..... | 60 |
| Databases 2 (Stars)..... | 61 |
| Databases 3 (Deep Space)..... | 61 |
| Databases 4 (Other)..... | 62 |
| Database Updates | 63 |
| Find Pane Info | 64 |
| Object Contextual Menu | 65 |
| Info Pane | 67 |
| LiveSky.com Object Database..... | 73 |
| Adding Objects (Orbit Editor) | 74 |
| Bending Space & Time | |
| Time Flow | 84 |
| Time Flow Modes | 85 |
| Changing Your Viewing Location..... | 86 |
| Changing Elevation..... | 88 |
| Location Mode | 89 |
| Orbits..... | 91 |
| Spaceship Mode | 93 |
| Piloting the Spaceship..... | 94 |

Working With Files


| | |
|---|-----|
| What is a Starry Night Enthusiast 5.0 File? | 98 |
| File Features | 98 |
| The Favourites Menu | 99 |
| Customizing the Favourites Menu | 100 |
| Creating Files - An Example..... | 101 |
| Exporting Images | 102 |
| Making Movies | 102 |
| Movie Compression Settings | 103 |
| Playing Back QuickTime Movies | 104 |

Frequently Asked Questions

| | |
|-----------------------------------|-----|
| QuickTime | 105 |
| Registration Number | 106 |
| Installation..... | 107 |
| Support | 107 |
| Updates/Upgrades | 107 |
| General Run-Time Problems | 107 |
| OpenGL..... | 108 |
| Time & Date..... | 109 |
| Viewing Location..... | 111 |
| Internet Database..... | 112 |
| Printing & Making Movies | 112 |
| Telescopes | 113 |
| Constellations & The Zodiac | 113 |
| Solar System Bodies | 113 |
| Stars..... | 115 |

| | |
|---------------------------------|-----|
| Keyboard Shortcuts | 117 |
|---------------------------------|-----|

| | |
|--------------------|-----|
| Index | 119 |
|--------------------|-----|



Chapter 1

Getting Started

Welcome

Welcome to Starry Night Enthusiast 5.0, the perfect tool for discovering the wonders of astronomy for the first time, or enhancing your observing pleasure and knowledge if you are already a convert to this wonderful pastime. With this book as your guide, you have at your fingertips the power to manipulate your view of the sky in almost any way you can imagine, and instant access to large amounts of data previously available only to the professional astronomer.

You can see how the sky will look tonight, tomorrow, or far into the past or future. You can view the stars as they appear from your own backyard, from a country on the other side of the world, or from another planet. You can witness a total eclipse from the Moon, watch the Sun set from the surface of Mars, or even ride a comet. You are limited only by your curiosity.

Thank you for purchasing Starry Night Enthusiast 5.0. Enjoy the program!

8 | Starry Night Enthusiast 5.0 User's Guide

Outline Of This User's Guide

All users of Starry Night Enthusiast 5.0 should read chapters 1 and 2 of this User's Guide to get a basic understanding of how to use the program. After this, you may want to explore the program on your own and only refer to the User's Guide if you have questions about a specific feature. Alternately, you may wish to read the entire User's Guide. Below is a brief summary of each chapter in the User's Guide.

Chapter 1: "[Getting Started](#)" tells you how to get Starry Night Enthusiast 5.0 up and running for the first time.

Chapter 2: "[Basics](#)" covers the most frequently used features in the program.

Chapter 3: "[Appearance of the Sky](#)" shows you how to modify the onscreen appearance of Starry Night Enthusiast 5.0.

Chapter 4: "[Sky Data](#)" shows you to get more information about astronomy and the sky in general.

Chapter 5: "[Object Data](#)" describes the different types of celestial objects included in Starry Night Enthusiast 5.0 and the information you can learn about each object.

Chapter 6: "[Bending Space & Time](#)" takes a detailed look at the features of Starry Night Enthusiast 5.0 that let you visit other locations in the universe, view the sky from dates in the past or future, and modify the speed at which time in Starry Night Enthusiast 5.0 moves forward. This section will be particularly useful for educators who plan to use Starry Night

Enthusiast 5.0 simulations to demonstrate astronomical concepts.

Chapter 7: "[Working With Files](#)" teaches you how to save files, capture colour images and make QuickTime videos using Starry Night Enthusiast 5.0.

Appendix A: "[Frequently Asked Questions](#)" answers the questions most commonly asked by users of Starry Night Enthusiast 5.0.

Appendix B: "[Keyboard Shortcuts](#)" is a handy reference table listing the Windows and Mac keyboard shortcuts for the features in Starry Night Enthusiast 5.0.

Starry Night Companion

This User's Guide will teach you how to use Starry Night Enthusiast 5.0. The second book included with your package, *Starry Night Companion*, is a guide to learning more about astronomy and the night sky. This 200 page book, written by astronomer John Mosley, is your tour guide to the universe and will help you appreciate what you see when you are outdoors looking up at the night sky.

You can access an electronic version of *Starry Night Companion* by choosing **Help->Companion Book** from the main menu.

Quick Start User Card

This handy reference card walks you through the installation process and offers tips on how to use the most common Starry Night functions.

Special Fonts

Two special fonts are used throughout this User's Guide:

1) **Command Font:** This font is used to indicate a button, clickable area, keystroke, or menu choice.

Examples:

- 1 Click the **Online Info** button.
- 2 Press the **Ctrl-Alt-Delete** keys.
- 3 Choose **File->Open** from the menu.

2) **File Font:** This font indicates a folder or file, either on your hard drive or the Starry Night Enthusiast 5.0 CD. File and folder names are always enclosed in quotations.

Examples:

- 1 Locate the "satellites.txt" file on the CD.
- 2 Your preferences are saved in the "Starry Night Enthusiast 5.0 \Sky Data\Prefs" folder.

Installing Starry Night Enthusiast 5.0


Starry Night Enthusiast 5.0 comes on two CD's that include both the Windows and Macintosh versions. To run Starry Night Enthusiast 5.0, you need to install two programs: Starry Night Enthusiast 5.0 and QuickTime. QuickTime is a tool for manipulating graphics files and constructing and viewing animation sequences. Starry Night Enthusiast 5.0 will **not** run if QuickTime (version 6.5 or later) is not installed. To install Starry Night Enthusiast 5.0 and QuickTime, follow the installation instructions below.

Note: If you already have QuickTime (version 6.5 or later) on your computer, you do not need to install it again. If you have an older version of QuickTime, install the newer version of QuickTime from the Starry Night Enthusiast 5.0 CD. It will automatically overwrite your older version.


10 | Starry Night Enthusiast 5.0 User's Guide

Windows:

- 1 Insert disc 1 in the CD-ROM drive.



- 2 A window will pop up onscreen with instructions on installing Starry Night Enthusiast 5.0. Follow the instructions that appear and insert the next disc when prompted.
- 3 At the end of the installation, the Starry Night installer launches an application to install QuickTime. Follow the instructions that appear onscreen. You will be asked to select an installation option for QuickTime. **Choose the "Recommended Install" option.** Certain Starry Night features will not work unless you choose this option.




- 4 During the installation process, a window may open which allows you to

enter a QuickTime registration number. This number is only for a more advanced version of QuickTime that is not included with Starry Night. Leave this screen blank and hit the **Next** button. **Do NOT enter your name or Starry Night registration number.**




- 5 At one point in the installation process, there will be a screen titled "File Type Associations". Press the **File Types** button to edit the associations.



- 6 Make sure that only the box marked "Quick Time Movie" is checked under the Video category. This will associate .mov files correctly with QuickTime. Other movie file types (for example,

mpeg or avi files) will not be affected.



Tip: The first time you enlarge an image or play a movie, you may see the Get QuickTime Pro window. Click **Later**. You do not need to upgrade to QuickTime Pro to see multimedia files in Starry Night.



- 7 Starry Night Enthusiast 5.0 includes a standalone DVD disc (“SkyTheater”), which contains short movies about astronomy. You can play the DVD disc on your computer DVD-ROM drive or your home DVD player.

Macintosh: To install Starry Night Enthusiast 5.0 for the Macintosh, follow these steps.

- 1 Insert disc 1 into the CD-ROM drive and double-click on the Starry Night Enthusiast 5.0 installation icon. Insert the next discs when prompted.
- 2 Starry Night Enthusiast 5.0 includes a standalone DVD disc (“SkyTheater”), which contains short movies about astronomy. You can play the DVD disc on your computer DVD-ROM drive or your home DVD player.

Running Starry Night Enthusiast 5.0




Once you have installed Starry Night Enthusiast 5.0, you can run the program as follows:

Windows: Double-click the Starry Night Enthusiast 5.0 icon on your desktop, or select it from your start menu.

Macintosh: Double-click the Starry Night Enthusiast 5.0 icon in the Applications folder, or click the icon on your dock.

Registering

When you run Starry Night Enthusiast 5.0 for the first time, you will be prompted to enter your name and registration number. To get your unique registration number, click **Get Registration Number**. For this to work, you must have an active Internet connection. If you do not have an active Internet connection, you can still click **OK** and the program will operate normally—but you will not be able to download the periodic data updates, such as new comets, upcoming events and tours.



Registering makes it possible for us to notify you of any upgrades, bug fixes, or plug-ins as they become available. You may also be eligible for reduced upgrade prices to other astronomy software programs. You can update your registration information at any time in the future by visiting www.starrynight.com/register.

Tip: You can retrieve your registration number at any time by choosing **Registration** from the **Help** menu (Windows) or the **Starry Night Enthusiast 5.0** menu (Macintosh).

After you have typed in your name and registration number, press **OK** to begin Starry Night Enthusiast 5.0.

Data Updates

The first time you run Starry Night Enthusiast 5.0, a window will pop up that asks if you wish to update your data files.



If you press **Update Files**, Starry Night Enthusiast 5.0 will attempt to connect to our website and download updated data files. Downloading these files ensures that any new comets, asteroids, satellites, calendar events or tours are added to the program. If you do not want to download updated data files at this time, just press **Cancel** to skip this process. You can update these data files at any time in the future by choosing **LiveSky-> Update Comets/Asteroids/Satellites** from the menu. See “[Database Updates](#)” on page 63 for more information on updating data files.

Only registered users can download the updated data files. If you did not register Starry Night Enthusiast 5.0, the following window will appear onscreen when you try to download new data files:



Click **Open Registration Dialog** to obtain your registration number and proceed with updating your data files or click **Cancel**

File Update to continue without downloading.

Note: Updating data files is not the same as updating the program itself. To ensure that you are running the latest version of Starry Night Enthusiast 5.0, see [“Program Updates”](#) on page 15.

Setting Your Home Location

The first time Starry Night Enthusiast 5.0 runs, a dialog box opens that asks you to set your home location. Once you have done this, you do not need to change your home location unless you move.

- 1 Click the **List** tab. This displays a huge database of cities throughout the world.




- 2 Use the scrollbar on the right to look through the list. If your home city is listed, click on its name to highlight this city and press the **Save As Home Location** button. If your city is not listed, proceed to step 3.

Tip: A list of astronomical observatories is included in the location list. To see this

*list, click on the **Province** column heading and scroll down to “Observatories”.*

- 3 Click the **Latitude/Longitude** tab. Type in the name of your location and enter your latitude and longitude. You can enter these values in degrees, degrees & minutes, or degrees, minutes & seconds. Starry Night Enthusiast 5.0 will convert your values to degrees and minutes. You must also enter the correct time zone. Time zones are calculated according to the time difference from London, England. For example, all communities on Eastern Standard Time are 5 hours behind London, so you would enter “-5 h” if you are on Eastern Standard Time. If you do not know your latitude, longitude, or time zone, click **Lookup Lat/Long on Internet** for Internet resources that will help you find this information.



- 4 Once you have entered your coordinates, click the **Add Location to List** button. This will open a window where you can enter your city, province/state and country. Press the **Add Location** button once you have entered this

information., then press the **Save As Home Location** button.



Tip: If you ever move and need to change your location (or if you initially enter your home location incorrectly), choose

Set Home Location from the **File** menu (Windows) or the **Starry Night Enthusiast 5.0** menu (Macintosh) to enter a new home location.

Starry Night For the First Time

After you have entered your home location, the main screen of Starry Night Enthusiast 5.0 appears. This window shows what you would see if you stepped outside at the current time, and looked south from your home location. Direction markers along the horizon help you orient yourself. If you open the program at night, you see a star-filled night sky. If you open the program during the day, you see a daytime scene with blue sky and sunshine. A horizon is shown to give you some perspective.

The current time is shown in the upper left corner of the screen.




Note: The current date and time are calculated from your computer's clock. If your computer's clock is incorrect, Starry Night Enthusiast 5.0 may show night when it is day outside, or vice versa. See "[Time & Date](#)" on page 109 if you do not know how to change your computer's clock settings.

Most of the controls in Starry Night Enthusiast 5.0 will probably look unfamiliar to you. The next chapter will show you how to use them and become more comfortable with the program.

Getting Help

Hopefully this User's Guide will help you master Starry Night Enthusiast 5.0! But if you still have questions, there are plenty of places to turn for help.



Contextual Help: Hold the cursor over any of Starry Night's controls, and a text box will pop up that describes the function

of that control.

Info Icon: Whenever you see this icon beside one of the controls in Starry Night Enthusiast 5.0, click the icon to see a short description of that control.

Electronic Manual: Choosing **Help->User's Guide** from the menu opens the PDF version of this manual.

Tech Support Website: A list of frequently asked questions is included in Appendix A: "[Frequently Asked Questions](#)". An up-to-date version of this FAQ is available online by choosing **Help->Online Help** from

the menu. Any new bugs or other issues regarding Starry Night Enthusiast 5.0 will be covered in this FAQ.

Discussion List: The Starry Night Discussion List is a newsgroup that allows you to ask questions and share tips with other owners of Starry Night Enthusiast 5.0. At press time, the Discussion List had more than 6000 members, so it is an excellent resource. Sign up for this list at http://www.starrynight.com/support/discussion_lists.html

Contact Technical Support: You can contact our technical support staff at <http://www.starrynight.com/support/> for help with your problems.

Program Updates

Starry Night Enthusiast 5.0 is updated on a fairly regular basis. Updates may add new features, or may fix bugs in the existing program. To find out if you are running the latest version, choose **About** Starry Night Enthusiast 5.0 from the Starry Night Enthusiast 5.0 menu (Macintosh) or the **Help** menu (Windows). A new window will open, and this window will have your version number in the bottom left corner.


Version: 5.0.0 pcE/W | Isaac Newton

Once you know your current version number, choose **LiveSky->Check For Program Updates** from the menu. This will take you to the updates section of our website. If any updates are available, instructions for downloading and installing these updates will be provided. We recommend that you check for

program updates soon after you install the program, to ensure that you are running the most up-to-date version of Starry Night Enthusiast 5.0.

Starry Night Website

More information about Starry Night Enthusiast 5.0 and other astronomy programs is available at our website, www.starrynight.com.



Chapter 2

Basics

It is impossible to cover all of the features of Starry Night Enthusiast 5.0 in one short chapter. However, you will use certain features much more than others. This chapter will show you how to use the 10 most important features in Starry Night Enthusiast 5.0. Once you have read this chapter, you will be able to use Starry Night Enthusiast 5.0 effectively as a guide to the night sky.

10 Important Features

Here are the 10 tasks you will learn to perform:

- 1** Use the controls.
- 2** Change your viewing direction.
- 3** Change the date and time.
- 4** Identify objects in the sky.
- 5** Label objects.
- 6** Display constellation figures.
- 7** Find objects.
- 8** Zoom in on objects.
- 9** Learn more about any object.
- 10** Print star charts.

Using The Controls

All of the controls in Starry Night Enthusiast 5.0 are in three areas of the screen: the toolbar, the side panes, and the menu. There is more than one way to access many of the features in Starry Night Enthusiast 5.0 - for example, you may be able to access a feature through the main menu and through the side panes.


Tip: If some of the controls described in this section appear to be missing from your version of Starry Night Enthusiast 5.0, you may not have installed QuickTime correctly. Reinstall QuickTime and be sure to choose the "Recommended Install" option, and you should then see all of the controls. See ["Installing Starry Night Enthusiast 5.0"](#) on page 9 for more information.

Toolbar: The toolbar is the strip of buttons which runs just above the main window. The toolbar has the following controls (each set of controls is explained in a later section):

| | |
|---|-------------------------|
|  | Time and Date |
|  | Time Flow Rate |
|  | Viewing Location |
|  | Gaze |
|  | Zoom (FOV) |

You can hide the toolbar by choosing **View->Hide Toolbar** from the main menu.


Side Panes: These panes are along the left side of the screen.



Clicking on a pane causes the pane to slide out, revealing a set of controls. Each pane opens to a default width. However, by clicking along the right edge of the pane and dragging the mouse, you can make the pane narrower or wider.

Within a pane, you can expand or collapse various **layers** by using these buttons:

-  Expand layer (Windows).
-  Expand layer (Macintosh).
-  Collapse layer (Windows).
-  Collapse layer (Macintosh).



Layer (expanded)

Layer (collapsed)

Pane

Each of the side panes controls an important function in Starry Night Enthusiast 5.0, and is explained in detail in a later section.

| <u>Pane</u> | <u>Page</u> |
|-------------|--------------------|
| Find | 64 |
| Options | 28 |
| Favourites | 99 |
| Status | 56 |
| Info | 67 |
| SkyGuide | 50 |
| SkyCalendar | 51 |
| LiveSky | 55 |

Menu: The menu runs across the top of the screen, above the toolbar. Clicking on an item in the menu expands the menu to reveal additional options.

File Edit View Options Labels LiveSky Favourites Window Help

***Tip:** There is more than one way to access many of the features in Starry Night Enthusiast 5.0. For example, you may be able to access a feature using the main menu or the side panes.*

Changing Your Viewing Direction

By default, Starry Night Enthusiast 5.0 always opens with your view facing south, looking slightly above the horizon. You can then adjust this view to look in any direction.



The default cursor icon in Starry Night Enthusiast 5.0 is a hand.

When you hold the mouse button down, you will see the hand close, as if it is “grabbing” part of the sky. If you hold the mouse button down and drag the mouse, your view shifts in the direction that you moved the mouse. The compass icon in the upper right corner of the screen shows the direction in which you are viewing. You can also use the compass points marked along the horizon to find your viewing direction.


***Tip:** You can configure Starry Night Enthusiast 5.0 to display scroll bars along the edges of the window by selecting **View->Show Scroll Bars** from the menu. You can then use these scroll bars in place of the hand to adjust your viewing direction.*

Zenith and Nadir Markers: If you adjust your view so that you are looking high above the horizon, you may see a red marker. This marker identifies the **zenith**, the point in the sky that is directly above your head. If you are located in space, you can also look straight down to see a marker for the **nadir**, the point directly beneath your feet. If you are located on Earth or another planet, you are limited in how far down you can look. You are able to look only slightly below the horizon, and cannot see the nadir. If you wish, you can turn off the markers for the zenith and

nadir by choosing **Preferences** from the **File** menu (Windows) or the Starry Night Enthusiast 5.0 menu (Macintosh), choosing **General** from the dropbox in the upper left corner of the Preferences dialog box, and unchecking the “Show zenith and nadir while scrolling” box.

Changing The Date And Time

When you open Starry Night Enthusiast 5.0, you may see a bright blue sunny sky, a dark sky filled with stars, or a twilight realm with only a few bright stars showing. This is because Starry Night Enthusiast 5.0 always opens showing the sky at the current date and time. The date and time are shown in the upper left corner of the toolbar.




 **Tip:** A small icon of the Sun appears to the left of the time in the toolbar. If Daylight Saving Time is turned on, this icon is lit up. Starry Night Enthusiast 5.0 uses your computer clock to determine if Daylight Saving Time should be turned on. Click on the icon to turn on or off Daylight Saving Time.

See “[How does Daylight Saving Time work in Starry Night?](#)” on page 110 for more information on Daylight Saving Time.

To change the date or time, just click on it. The date or time will light up, and you can

type in a new value.



If Starry Night Enthusiast 5.0 is showing a daytime scene, try changing the time so that it is night. If you already see a night scene, change the time so that it is day. Starry Night Enthusiast 5.0 allows you to set the date from anywhere between 4713 BC and 9 999 AD.

Tip: As you are working through the rest of the features in this chapter, you will probably want to set the time in Starry Night Enthusiast 5.0 so that the sky is dark. In the day, only the Sun will be visible onscreen, and it will be difficult to use some of the features.

| Now |
|-------------------------|
| Sunrise (6:21 AM) |
| Solar noon (1:24 PM) |
| Sunset (8:27 PM) |
| Moonrise (2:33 AM) |
| Moon transit (10:46 AM) |
| Moonset (6:57 PM) |

Special Times:

Immediately to the right of the time display in the toolbar is a pull-down menu that lets you quickly change the time to one of several key times.

You can reset the time to the current time by pressing **Now** or set the time to sunrise, sunset, moonrise or moonset. You can also change to **solar noon**, the time at which the Sun is highest in the sky, or **moon transit**, the time at which the Moon is highest in the sky.

Moon Calendar: Clicking the **SkyCalendar** pane will open a pane showing a calendar with moon phase information. See “[SkyCalendar](#)” on

page 51 for more information on the Calendar.



Identifying Objects In The Sky

If you point the cursor at any object shown onscreen, information about the object will automatically appear. This is Starry Night Enthusiast 5.0's **Heads-Up Display (HUD)**. Displayed are the object's name, the constellation it is in, and its distance (if known) from Earth. This makes it easy to identify any of the points of light displayed onscreen.



You can choose which information fields are displayed when you point the cursor at an object. See "[Heads-Up Display \(HUD\) Options](#)" on page 44 for more details.

Labeling Objects


The Heads-Up Display is great for finding out what a specific object is, but it's not much help if you want a quick overview of all of the brighter objects onscreen. The best way to quickly identify all bright objects is to choose **Labels->Show All Labels** from the menu. This labels the brightest objects in each category (stars, constellations, planets, deep space objects). You can turn these labels off again by choosing **Labels->Hide All Labels**.

Starry Night Enthusiast 5.0 offers much more precise control over object labels. You can label only certain types of objects, increase/decrease the number of labels, or label only the objects that you select. See "[Labeling Celestial Objects](#)" on page 32 for more information.

Displaying Constellation Figures

For thousands of years, stargazers have joined the brighter stars together into patterns that we call constellations. Astronomers currently recognize 88 constellations, which together cover the entire sky. Knowing which constellation an object is in is the first step to finding the object.

You can turn on the stick figures for the constellations by choosing **View->Constellations->Astronomical** from the main menu. Choosing this option again will remove the figures. Use the **Labels** menu to turn on/off the constellation labels.




Many more options exist for displaying the constellations. These options are outlined in “[Constellations](#)” on page 41.

Finding Objects




If you are interested in finding a specific object, such as a planet or a bright new comet, open the **Find** side pane. Click in the text box at the top of this pane and type in the first few letters of the object you are looking for. As you type, Starry Night Enthusiast 5.0 displays a list of objects that match your name.



Once the object that you are looking for appears in the list, double-click on its name, and Starry Night Enthusiast 5.0 will

centre on the object. Several information fields are listed beside each object in the list of found objects. See “[Find Pane Info](#)” on page 64 to learn what these fields mean.

***Tip:** The object you are searching for may be hidden beneath the horizon (Starry Night dims the names of any objects currently below the horizon). If this is the case, Starry Night Enthusiast 5.0 will offer you the option of advancing the time forward to a time when the object will be above the horizon.*



Panning To Found Objects: By default, Starry Night Enthusiast 5.0 slowly pans to objects that you have double-clicked on in the **Find** pane. This feature is handy because it allows you to see where the new object is relative to your current view. If you choose **Preferences** from the **File** menu (Windows) or the Starry Night Enthusiast 5.0 menu (Macintosh) and choose **Responsiveness** from the dropdown in the upper left corner of the Preferences dialog box, you will see a slider and checkbox named “Pan to found objects”. Adjusting the slider changes the speed at which Starry Night Enthusiast 5.0 pans to found objects. Unchecking the box disables the panning feature completely, so that your view changes instantly to the “found” object as soon as you double-click on it.

Tip: If you hit the space bar during a pan, the program immediately takes you directly to the object. If something catches your eye and you want to stop the pan, press the **Esc** key.

Searching Specific Databases: By default, Starry Night Enthusiast 5.0 searches all of its object databases when you use the **Find** pane.




If you wish, you can choose to search in only a specific database, by clicking the arrow on


the left side of the textbox in the **Find** pane, and choosing the appropriate database from the menu that appears.

“[Object Data](#)” on page 59 describes each of the object databases included in Starry Night Enthusiast 5.0.

Solar System Object List: If you clear the text box at the top of the **Find** pane, the list of items found is replaced by a list of solar system objects.



  Click the symbol to the left of an object’s name to expand the list to include all other objects that orbit this object.



For example, clicking on this symbol for Mars

will expand the list to include the moons of Mars. Clicking again collapses the list and hides Mars’s moons. You can double-click on any object in this list to centre on the object in Starry Night Enthusiast 5.0’s main window.


Zooming In On Objects

Now that you know how to find objects, you will probably want to know how to zoom in for close-up views of spectacular objects such as Saturn and the Andromeda Galaxy.

The amount of sky that you can see is called the **field of view**. If it was possible to see the entire hemisphere of sky that is above the horizon at any time, you would have a 180° field of view. Of course, this is impossible. Including some peripheral vision, the human eye can see approximately a 100° field of view. If you look through binoculars, the area you see is a much smaller piece of the sky, which means binoculars have a correspondingly smaller field of view (usually 5° to 7°). Telescopes have an even smaller field of view than binoculars.

Starry Night Enthusiast 5.0 opens with a 100° field of view. We call this the normal field of view, since it approximates a view of the sky that you would see with your own eyes. Along the top right corner of the

toolbar is a set of zoom buttons which adjusts your field of view.



Clicking the zoom button on the right zooms in (reduces your field of view), while clicking the button on the left zooms out (increases your field of view). Clicking the left zoom button and holding your mouse button restores your field of view to 100°. It is important to remember that when you zoom in on objects, you are not in fact changing your location. Think of zooming as looking through a more and more powerful telescope, while your feet remain firmly planted.

Your exact field of view is always listed in the **Zoom** control of the toolbar.


***Note:** When you zoom in to a very small field of view, your field of view will be shown in **arcminutes**. If you zoom in even closer, your field of view will be shown in **arcseconds**. One arcminute is 1/60 of a degree, and one arcsecond is 1/60 of an arcminute. The smallest field of view which Starry Night Enthusiast 5.0 can display is 1 arcsecond.*



The compass image in the upper right corner (visible only when you are using the field of view controls or changing your viewing direction) provides an excellent graphical interpretation of the field of view. This

image shows how large a patch of sky is being displayed in your current view. As you zoom in, the patch of sky shrinks. As you zoom out, the patch of sky expands. The compass image also shows your viewing direction.


***Tip:** To hide the compass, open the **Options** pane, expand the **Guides** layer and uncheck the “Show compass indicator while scrolling” box.*



Changing the Zoom Step: If you choose **Preferences** from the **File** menu (Windows) or the Starry Night Enthusiast 5.0 menu (Macintosh) and choose **Responsiveness** from the dropdown in the upper left corner of the Preferences dialog box, you will see a slider named “Zoom Step”. This slider adjusts the rate at which Starry Night Enthusiast 5.0 increases and decreases your magnification when you use the Zoom buttons. By setting this slider farther to the right, you will zoom in or out faster, because each zoom step will be larger.

Angular Separation: Angular separation provides another way of understanding fields of view and angles in the sky. If you point at an object and click and hold the left mouse button and then drag the mouse to a second object, a line appears which

connects the two objects. The **angular separation** between the two objects is displayed, along with the direction of the line and the actual distance between the two objects (if known).



The angular separation measures how far apart in the sky two celestial bodies appear. The entire sky is divided into 360° , so an object which is directly in front of you and an object directly behind you in the sky have an angular separation of 180° . If you measure the angular separation between two objects on opposite sides of your screen, you should find that it is very close to the field of view that Starry Night Enthusiast 5.0 is showing. Note that the angular separation of two objects has no connection to how far apart these objects really are: two bodies which appear side by side in the sky may be hundreds of light years apart!

Example: Magnifying Jupiter

- 1 Open the **Find** pane and type in "Jupiter".
- 2 Double-click on Jupiter's name in the list to centre on Jupiter. If a dialog box shows that Jupiter is beneath the horizon, choose the **Best Time** option.
- 3 If Starry Night Enthusiast 5.0 is displaying a daylight sky, choose **View->Hide Daylight** from the menu to turn off daylight.
- 4 Click the "+" zoom button to slowly zoom in on Jupiter. As you zoom in, Starry

Night Enthusiast 5.0 automatically shows dimmer stars. Once your field of view reaches about 30 arcminutes, Jupiter will start to look like a ball instead of a point.

5 Continue clicking the "+" zoom button all the way until your field of view is about 6 arcminutes. Note that Jupiter will still not fill the screen.

6 Press the "+" zoom button to continue zooming in on Jupiter. Once you reach a field of view of about 35 arcseconds, Jupiter should fill the screen.

7 Click the "-" zoom button and hold your mouse button down to restore your field of view to 100° .



Learning More About Objects

 For any object displayed onscreen in Starry Night Enthusiast 5.0, you can double-click on the object to learn more about it. Double-clicking will open the **Info** pane, which has information on the object organized into different categories. All of the information fields in the **Info** pane are described in detail in "[Info Pane](#)" on page 67.

***Tip:** Right-clicking (**Ctrl**-click on the Mac) on any object onscreen will open a contextual menu of options. Select **Show Info** from this menu to open the **Info** pane and learn more about the object.*

Printing Star Charts

Starry Night Enthusiast 5.0 has a special set of print settings which make printing informative, legible charts a snap. You can then take these charts outside to help with your stargazing.


Centre on the area of sky you are interested in, and use the zoom buttons to set the correct field of view for your printed chart. For example, if you want a chart that shows the entire sky, you may wish to make four charts: one facing north, one facing east, one facing west and one facing south. Remember that the appearance of the sky is time-sensitive, so make sure to set the time in Starry Night Enthusiast 5.0 to the time that you plan to go outside to observe!

Once you have set the time, viewing direction and field of view, select **File->Print** from the menu. You will get a full-page printout of the area shown onscreen.

Print Settings: If you choose **Preferences->General** from the **File** menu (Windows) or the Starry Night Enthusiast 5.0 menu (Macintosh), you will see the options “Use print settings when printing” and “Use current settings when printing”. These options control the appearance of your printed chart: how many stars are shown, how many objects are labelled, etc. “Use print settings” will print star charts

using Starry Night Enthusiast 5.0’s special print settings file, while “Use current settings” will print charts using the same settings that you currently have onscreen.

***Tip:** If you are interested in viewing a dim object, and it is not labeled on the printed chart you make, select it on the screen by pointing the cursor at the object and clicking on it. Its name should then appear on screen with an arrow pointing to the object. This is known as “selecting” an object. See [“Labeling Select Objects”](#) on page 32 for more information on selecting objects. If you print a new chart, the selected object will now be labelled.*



Chapter 3

Appearance of the Sky

Unlike the real world, *Starry Night Enthusiast 5.0* allows you to modify the sky's appearance to best suit your needs. You can display illustrations of the classical constellations, show only the artificial satellites circling overhead, or customize your view in dozens of other ways. This chapter will look at all of the functions that let you modify *Starry Night Enthusiast 5.0*'s simulation of the night sky.


Sky Contextual Menu

| | |
|-------------------------------|--------|
| Select Gemini (Constellation) | |
| Centre | |
| Show Daylight | Ctrl+D |
| Show Ecliptic | |
| Hide Planets | |
| Hide Stars | |
| Show Constellations | |
| Local Light Pollution | |
| Distant Light Pollution | |

You can open a contextual menu in *Starry Night Enthusiast 5.0* by pointing the cursor at any area of the sky and right-clicking (**Ctrl**-click on the Mac). If you are pointing the cursor at a specific object, the contextual menu will provide options specific to that object. If you were not pointing the cursor at a specific object, the menu gives you options for the appearance of the sky as a whole and the constellation which you are pointing at. Many of the most used functions relating to the appearance of the sky are in this contextual menu (for example, turning the horizon on/off, turning daylight on/off, turning light pollution on/off).

Options Pane

Many of the options for modifying the appearance of the sky are in the **Options** pane. The **Options** pane is organized in a layered framework, based on the distance of various celestial objects from Earth. Controls for altering the appearance of the sky are slotted into the appropriate layer. For example, controls for adjusting the appearance of the planets fall into the “Solar System” layer. Any of the layers in the **Options** pane can be expanded by clicking the expand button to the left of the layer’s name.



Most controls fall naturally into one of four layers. These layers correspond with different databases - see [“Introduction to Databases”](#) on page 60 for a description of these databases.

- 1 Local View.** Controls that affect the view of the sky from your location. For example, turning daylight on/off.
- 2 Solar System.** Controls for objects in our solar system. For example, planets, comets, and asteroids.


- 3 Stars.** Controls for objects outside the solar system, but inside the Milky Way. For example, stars, extrasolar planets, and the appearance of the Milky Way itself.

- 4 Deep Space.** Controls for objects outside our galaxy. For example, other galaxies.


Tip: This layer also includes databases that include objects both within and outside of our galaxy. For example, the Messier database includes globular clusters, which are inside our galaxy, but it also includes other galaxies, so it is classified in the “Deep Space” layer.

Guides and constellations do not fall naturally into this layered scheme, so they are given their own layers.

Most of the object classes listed in the **Options** pane have special options associated with them. Clicking on the object name in the pane will open a dialog box with options for that object class. For example, clicking on the word “Comets” in the **Options** pane (“Solar System” layer) will open a dialog box with options for altering the appearance of comets.



Tip: Use the brightness slider to the right of an object class name to control how bright these objects appear onscreen.



Light

Many celestial objects are only visible during certain times of the year. At other times in the year, they are above the horizon only during the daytime, when they are washed out by the Sun's light. With Starry Night Enthusiast 5.0, you can get around this problem by selecting **View->Hide Daylight** from the menu, or unchecking "Daylight" in the **Options** pane (Local View). This turns on or off the effects of a planet's atmosphere, including the scattering of light which makes our sky appear blue. If it is daytime and you turn daylight off, you will be able to see the stars which are normally hidden.



Tip: This feature works on any planet which has an atmosphere. On Mars, the atmosphere scatters sunlight and makes the sky look pink. Turning off daylight eliminates this effect. Our Moon has no atmosphere, so turning daylight off on its surface has no effect.

Light Pollution: There may be times when you want to add light, instead of eliminating it. This is because the default night view in Starry Night Enthusiast 5.0 assumes the observer is far from bright lights, under dark skies. As a result, many stars are visible, perhaps too many for the urban stargazer.

Even on a perfectly cloudless and moonless night, an observer in a big city will not see anywhere near the number of

stars which his or her counterpart in the country will see. Starry Night Enthusiast 5.0 allows you to mimic the effects of light pollution, showing only the brighter stars and making the sky more closely resemble what you see from home. To turn light pollution on or off, check or uncheck the “Light Pollution” box in the “Local View” layer of the **Options** pane.


Distant Light Pollution: Even when we live in an area of low local light pollution there is often a source of artificial light on the horizon. A nearby city for example, can create a light pollution dome, washing out celestial objects that are low on the horizon. You can add light pollution domes for one or more nearby cities.



To add the light pollution dome of a nearby city, click on “Distant Light Pollution” in the “Local View” layer of the **Options** pane. This will open a dialog box with options for adding distant light pollution sources.



Click the “+” button in the Distant Light Pollution section of the dialog box to bring up another dialog box that will allow you to name the light source, set the direction and control the intensity of the light pollution dome.




Your new distant light pollution entry will be added under “Distant Light Pollution” in the **Options** pane (“Local View” layer).



Tip: You can also turn on light pollution by right-clicking (**Ctrl-click on the Mac**) on the background sky in the main window. This will open a contextual menu with two light pollution options: **Local Light Pollution** and **Distant Light Pollution**.

Changing the Horizon

By default, Starry Night Enthusiast 5.0 shows a photorealistic horizon.




A pull-down menu lets you choose from one of several horizon images and also cloud types.

Note: If you do not have an OpenGL compatible graphics card, you will not be able to view the photorealistic horizons, so you will probably want to use the custom horizon type.

Displaying Celestial Objects

Checkboxes in the **Options** pane for each database of celestial objects let you turn on or off these databases. See “[Object Data](#)” on page 59 for a complete listing of the object databases included in Starry Night Enthusiast 5.0. You can turn databases on/off so that only the objects that you are interested in appear onscreen. For example, you may want to find out which of the many points of light shown onscreen represent planets. By turning the database of stars off, it will be much easier to identify the planets.




Tip: You can also turn databases on/off by choosing **View** from the main menu and checking the appropriate database.

If a database is turned off, no objects from this database will be displayed. However, if a database is turned on, not **all** of the objects in the database will be displayed. There are two reasons for this. First, several databases are very large. It would be impossible for Starry Night Enthusiast 5.0 to draw all 2 million stars in its database onscreen at one time! Second, Starry Night Enthusiast 5.0 strives to present a realistic representation of the sky, so it only shows those objects bright enough to be visible. As you zoom in to a smaller field of view, dimmer objects are automatically shown (remember that zooming in is equivalent to looking through a more powerful telescope). Many databases have options that let you adjust how many objects are displayed. See “[Celestial Object Display Options](#)” on page 33 for more information.

By default, all databases are turned on, with the exception of those databases in the “Other” layer, which are turned off because they may overlap with the core databases. See “[Databases 4 \(Other\)](#)” on page 62 for a listing of these “other” databases.

Labeling Celestial Objects

In “[Labeling Objects](#)” on page 21, you learned how to turn on labels for all types of objects. You can also selectively choose which types of objects to label. To the right of each database listed in the **Options** pane is a “labels” checkbox. Checking this option will label the brightest members of this database. Labeling certain object types makes it easier to identify these objects. For example, deep space objects may be hard to identify among the glare of the brighter stars and planets. By labeling only deep space objects, these objects will be easy to locate.



Tip: You can also turn database labels on/off by choosing **Labels** from the main menu and checking the appropriate database.

Labeling Select Objects: If you only want to label a few specific objects, point the cursor at the first object, and click the left mouse button. This “selects” the object, and its label will appear, along with an arrow pointing to the object. For subsequent objects, hold down the **Shift** key and click on the object. You can deselect all objects by choosing **Edit->Select None** from the menu. You can

change the label colour for selected objects by choosing **Preferences** from the **File** menu (Windows) or the **Starry Night Enthusiast 5.0** menu (Macintosh), choosing **General** from the dropdown in the upper left corner of the Preferences dialog box, and clicking on the “Selection colour” rectangle.




Database Label Options: You have great control over how labels appear in Starry Night Enthusiast 5.0. You can change, the size, colour, font and number of labels for each database. See “[Label Options](#)” on page 40 for more information.

Celestial Object Display Options

As mentioned in “[Displaying Celestial Objects](#)” on page 31, clicking on a database name in the **Options** pane will open a dialog box with display options for that database. The options fall into two categories: options for displaying the objects in the database, and options for displaying the labels for these objects. This section focuses on the options for displaying the objects, while “[Label Options](#)” on page 40 will look at label options.

Star Display Options

The Star Display options dialog box offers a number of options for controlling the appearance of stars.



3-D Options: The “3D Positions” slider lets you determine how many stars are drawn in the correct position in 3-dimensional space. This feature is only useful when your viewing location is outside the solar system, in such a manner that you can see the 3-dimensional


arrangement of the stars in our solar neighbourhood. See [“Changing Your Viewing Location”](#) on page 86 to learn how to change your viewing location. “Only show 3D stars when outside Solar System” hides those stars for which we do not have accurate 3-dimensional positions, making it easier to see the 3-dimensional structure of our solar neighbourhood.

Mark Stars With Extrasolar Planets: These options let you display special markers for stars that are known to harbour planets. Since the first extrasolar planet was discovered in 1995, the number of known planets has grown rapidly. So far, more than 100 planets have been detected, and this number will definitely increase in the future.

***Tip:** If you turn on markers for extrasolar planets, the star's Info pane will include information about the extrasolar planet, such as the planet's mass and distance from its central star. See [“Extrasolar planet information fields”](#) on page 71 for more details.*

Star Brightness, Contrast & Colour

Starry Night Enthusiast 5.0 gives you complete control over the brightness, contrast, and colour of star display. To access these options, choose **Preferences** from the **File** menu (Windows) or the Starry Night Enthusiast 5.0 menu (Macintosh) and select **Brightness/Contrast** from the dropbox in the upper left corner of the Preferences dialog box.



The Star type dropbox lets you choose from several different types of star images.

This preference will be applied to every star drawn onscreen. Try testing out each of these different star images and seeing which one you prefer.

The “Min/max star size” slider determines how large stars appear onscreen.


The Range slider increases or decreases the size distinction between the brightest

and dimmest objects in the sky, while the Contrast slider increases or decreases the colour distinction between the brightest and dimmest objects in the sky. If you're viewing from an urban location, you may want to decrease the contrast so that Starry Night Enthusiast 5.0's display is closer to your physical view. If you're viewing from a rural location, you can increase the contrast to view a more diverse night sky.

A star's colour is determined by its surface temperature, ranging from blue (hottest) to red (coolest). The Colour slider increases and decreases the extent to which Starry Night Enthusiast 5.0 displays star colour. Pulling the Colour slider to the right shows more and more of the full spectrum of star colours, to an extent you would never see from Earth. Pulling the Colour slider to the left strips away colour distinctions until all stars appear white.

Planet Display Options

Starry Night Enthusiast 5.0 gives you many options for the display of our Sun and its planets and moons. A variety of guides are also available to give you perspective.



At a 100° field of view, planets are displayed like stars, which is how they appear to us from Earth's surface. As you get closer to a planet (by zooming in on the planet or by changing your location) you begin to see the disc image and any phase information.

Starry Night Enthusiast 5.0 depicts the planets using the latest images from NASA and other space agencies. Unfortunately, we have not yet been able to fully image all of the objects in our solar

system. Where little or no data is available, Starry Night Enthusiast 5.0 uses the time-honored tradition of deploying space artists to create the surfaces of distant worlds as seen from space, such as Pluto, Charon, and Saturn's moon Phoebe.

Several of the planet images in Starry Night Enthusiast 5.0 were created or enhanced by astronomy enthusiasts. Choose **Help->Image Credits** from the menu to see thumbnails and credits for the planet surface images and the images of deep space objects.

Earth/Moon Shadow Outlines: Earth and the Moon cast shadows upon one another in certain alignments with the sun. The two circles of this target represent the limits of the **umbral** and **penumbral** shadows projected out at the Earth/Moon distance. The umbral shadow encloses the area experiencing a total eclipse, while the penumbral shadow encloses the area experiencing a partial eclipse. This feature is useful when watching a solar eclipse from the Moon — you can see the Moon's shadow approaching Earth before it actually casts its shadow upon Earth.

Dark Side: For more realistic and exciting viewing, you can choose to display the dark sides of planets. The slider lets you control the sharpness of the transition between the dark and lit side.

Specular Reflection: This feature is only available with OpenGL graphics cards. It realistically models the Sun's glare.


Show Atmosphere: You can turn off the atmospheres of objects that possess an atmosphere, such as the Sun, Venus, and Earth. This allows you to see the rocky

surface of Venus, instead of seeing the almost featureless cloud cover. Turning the Sun's atmosphere off shows the Sun as it would appear when viewed through a hydrogen-alpha filter.

Surface Guides: You can turn on several types of guides to help you determine a planet's orientation in space, or to locate features on the planet surface.

The grid draws planetary lines of latitude and longitude. You can also turn on the planet meridian and equator lines. The pole sticks show you the north and south poles of the planet. Grid numbers mark the lines of latitude and longitude on the grid.

In the following image, we magnified Jupiter and turned on all of its surface guides.



Comet, Asteroid & Satellite Display Options




Brightness: For these three classes of objects, a slider lets you adjust the apparent brightness of the objects. For comets, the slider actually adjusts the brightness of the comet tail. You also have the option to turn comet tails off entirely.

Orbit Colour: This rectangle lets you choose a new colour for the orbit lines of these objects. See "[Orbits](#)" on page 91 for more information on object orbits.

Messier Objects And Bright NGC Objects Display Options


These databases have a specific image associated with each object. Most of the images from the "Messier" and "Bright NGC Objects" databases were photographed by astronomy enthusiasts. Choose **Help->Image Credits** from the menu to see thumbnails and credits for the planet surface images and the images of deep space objects.



Starry Night Enthusiast 5.0 lets you adjust the brightness of images using the slider provided. Using this control, you can adjust the image so that its brightness appears as it would through a backyard telescope (as a very dim image), or as captured by a long exposure observatory photograph (a much brighter image). You also have the option of selecting to display the outlines for these objects instead of their images.

Milky Way Display Options


By default, Starry Night Enthusiast 5.0 displays a stunning photographic image of the band of the Milky Way. If you find this image is too bright, you can use the Brightness slider to tone down the image brightness, or uncheck the Milky Way box in the **Options** pane, to turn off the image entirely.



Tully Database Display Options

One of the core databases in Starry Night Enthusiast 5.0 contains 28 000 nearby galaxies plotted in 3-D. This database was compiled by astronomer Brent Tully and colleagues, hence it is referred to as the **Tully Collection**. This galaxy database is very special because it shows the 3-D position in space of each galaxy, not just the galaxy's position as seen from Earth.

In Starry Night Enthusiast 5.0 you have great control over how this database is displayed onscreen. To open the "Tully Database Options" dialog box, click on the words "Tully 3D Database" in the Deep Space layer of the **Options** pane.



You will find the following options:

Bounding boxes: If you have "Entire dataset" checked, all galaxies will be surrounded by a 3-dimensional box, letting you see the spatial area occupied by the Tully Collection. "Selected filaments/groups" will only draw a box around the filaments/groups you have selected.

Magnification: When a galaxy is very close, it is represented by a full-colour image instead of a dot. This slider lets you enlarge these galaxy images. The "correct" position of the slider is all the way to the left—this will draw galaxies the proper size, and you will rarely see more than one or two galaxy images onscreen at the same time. Moving the slider to the right allows you to see many galaxy images at the same time, producing some spectacular views.

Visibility range: Use this slider to display only those galaxies that lie within a certain range. If you move the slider all the way to the left, only those nearby galaxies that are bright enough will be displayed, moving

the slider all the way to the right will display all the galaxies in the Tully Collection at the same time.

Colour saturation: Each different type of galaxy is represented with its own colour image. The dots used to represent a distant galaxy are the same colour as the full-size image. Moving this slider to the right makes the colour of the dots closer to that of the galaxy image, while moving the slider to the left strips away all colour distinctions until all galaxies are represented by white dots. The advantage of having the slider far to the right is that you can quickly identify galaxy type, for example, a cluster of blue dots indicates a group of elliptical galaxies. The disadvantage is that the sky becomes gaudy and unrealistic-looking.

Brightness: When a galaxy is too far away for its image to be visible, Starry Night Enthusiast 5.0 will represent its position in space with a dot. This slider controls the brightness of these dots. The ideal position of this slider will depend on the brightness of your monitor and the lighting conditions in your computer room. Moving this slider to the right makes the dots larger and brighter, while moving it to the left makes the dots smaller and dimmer.

Selecting Filaments and Groups

When exploring the Tully Collection of galaxies, you can get more information by pointing the cursor at an object (you should see the cursor icon change to a pointer) and then right-click or **Ctrl**-click (Macintosh). This opens a contextual menu with specific options for the object

you have clicked on. Some of the options specific to the Tully Collection are described below. But first let's look at some terms you may not be familiar with.

Groups are gravitationally bound clumps of galaxies. Membership can range from a few to a few thousand galaxies. Large groups are also known as *clusters*.

Filaments - or their kin walls, clouds, and arcs - are formations of galaxies in expanding space, which are not necessarily gravitationally bound. These formations can be string-like or sheet-like. They can have curvature like a bow or like a sail. Filaments can be grouped together into even larger structures called *filament families*.



Centre Sun: If you are centered on another galaxy, selecting **Centre Sun** will move your view so that you are looking towards the Sun (and hence our galaxy the Milky Way). If you are centered on the Sun, you can use the elevation buttons in the toolbar to go back to our solar system.

Centre Group: Each galaxy belongs to a larger group of galaxies. This option will

place that group at the centre of your screen.

Highlight Group: This displays a special marker for all other galaxies that are in the same group as the object you have clicked on.

Centre Filament: Many (but not all) galaxies can also be classified as belonging to a filament. This option centres on the filament containing your object.


Highlight Filament: This displays a special marker for all galaxies belonging to the same filament as the object you have clicked on.

Other Object Display Options

The options for other databases in Starry Night Enthusiast 5.0 vary greatly. Open the Options dialog box for any database to see its display options.

Label Options

Every database in Starry Night Enthusiast 5.0 has label options. To access these options, open the **Options** pane and click on the name of the database you are interested in. This will open the “display options” dialog box for this database. The label options will be at the bottom of the dialog box.



Most databases share the following label options:

Appearance: For all databases, you have the option of changing the label appearance. Dropboxes allow you to change the font and size of the label, and choose whether you want the labels to be in bold or italics.

Colour: This determines the colour that labels appear onscreen. Click on the colour bars to choose a new label colour. Many users use different label colours for each of the major databases, making it easier to quickly distinguish between planets, stars, and deep space objects.

Number of Labels: A slider allows you to change the number of objects that are labeled onscreen for each database. If the slider is near the left edge, only the brightest members of the database will be labeled. As you move the slider farther to the right, dimmer objects will be labeled as well.


Some other label options appear only for certain databases. These options are listed below:

Label by magnitude slider: This is an option for planets/moons, comets, asteroids, and artificial satellites (it replaces the “Number of Labels” slider). By default, Starry Night will not label an object if it is too dim to appear on screen. You can change this option. For example, you may wish to know the position of all the planets. Pluto and Neptune are generally too dim to be seen, but by selecting this option, you will still be able to see where they are in the sky.


Star Label Options: The “Show” dropdown in the Star Options dialog box allows you to label a star by its common name, catalogue number, Bayer letter, or Flamsteed number. Most common names are thousands of years old and have an Arabic origin. The classification scheme for Bayer letters and Flamsteed numbers is discussed in “[Bayer](#)” on page 68. You can also choose to show the star’s magnitude.

Constellations

People have always joined together patterns of stars to create images in the night sky. The most well known of these are those that have been handed down to us from the Arabs, Greeks, and Romans. Astronomers use these ancient constellations as a guide to map the stars into various regions. Today the International Astronomical Union recognizes 88 unique constellations, which together cover the entire sky. Many of the best-known figures in the sky, such as the Big Dipper and the Summer Triangle, are not formal constellations, but are known as **asterisms**. Starry Night Enthusiast 5.0 has many options for drawing the constellations. All constellation options can be accessed by expanding the “Constellations” layer in the **Options** pane.



Auto Identify: Checking this box will highlight the constellation which is at the centre of the screen. If you scroll around the screen, the highlighted constellation will change.



Tip: Clicking on the words “Auto Identify” opens a dialog box that lets you choose how to display the highlighted constellations. The display options are the same as for displaying all constellations (name, boundary, stick figure or classical illustration), except they only apply to the highlighted constellation. If you choose to display an illustration, you can also control the brightness of this illustration.



Boundaries: Checking this box displays the boundaries of the 88 official constellations.

Illustrations: Checking this box displays classical illustrations for the constellations.

Labels: Checking this box turns on or off constellation labels.

Stick Figures: Turns on or off stick figures for the constellations.

Constellation Options: Clicking on the words “Boundaries”, “Labels”, or “Stick Figures” will open the Constellation Options dialog box.



This dialog box lets you adjust the colour of the constellation figures, boundaries and labels. You can also adjust the size and font of the labels. For the labels, a dropbox lets you choose whether to display the constellation's astronomical name, its common translation, or both. For the stick figures, you can choose from several different figure sets.



You can draw stick figures using either the standard astronomical figures, or those popularized

by H.A. Rey in his book *The Stars, a New Way to See Them*. These figures closely resemble the names of the constellations. For example, Ursa Major, the Great Bear, is depicted as a stylized bear. To get the figures to match the names, Rey had to take some liberties, so it may be difficult to match these figures to what you actually see in the sky. You can also choose to draw only the constellations of the Zodiac. Finally, you can draw the **asterisms**, stick figures that are not formal constellations.

Note: It is not possible to view more than one set of stick figures onscreen at the same time.

By default Starry Night shows the “Classical” image set for constellation illustrations. If you have more than one set of illustrations, you can select which one to display from the “Image set” dropdown.

Guides

The Guides layer in the **Options** pane allows you to display reference points for different astronomical co-ordinate systems. These reference points can be used to help you identify the position of objects in the sky.



Celestial Grid: The celestial grid shows the gridlines of the Equatorial co-ordinate system mapped onto the sky. See “[Position in Space](#)” on page 69 for a description of the equatorial co-ordinate system.

Celestial Poles: The **North and South Celestial Poles** are projections into space of Earth’s north and south poles. Polaris, the North Star, is very close in the sky to the North Celestial Pole.

Local Meridian: The **local meridian** is an imaginary line running from due north along the horizon through the zenith, through to due south along the horizon. During a given night, a celestial object will be at its highest point in the sky when it is on the local meridian line.

Show compass indicator while scrolling:

This turns on or off the compass image in the upper right corner of the screen, which appears when you scroll around the sky to help you determine your viewing direction.

The Ecliptic: The **ecliptic line** is the apparent path in the sky which the Sun moves through over the course of a year. Notice the constellations which the ecliptic line passes through - these are the familiar zodiac constellations. The Sun

will always be found directly on the ecliptic line, while the Moon and planets will always be found close by.

Zenith/Nadir: The **zenith** is the point in the sky directly above your head, while the **nadir** is the point directly below your feet.


Summer/Winter Solstice: The **Summer Solstice** is the Sun's position relative to the stars on the first day of summer (in the Northern Hemisphere), while the **Winter Solstice** is the Sun's position relative to the stars on the first day of winter. More precisely, they are the Sun's positions in the sky at the two exact times when the plane of Earth's equator is inclined at the largest angle (about 23.5 degrees) to the plane determined by Earth's revolution around the Sun.

Vernal/Autumnal Equinox: The **Vernal Equinox** is the Sun's position relative to the stars on the first day of spring (in the Northern Hemisphere), while the **Autumnal Equinox** is the Sun's position relative to the stars on the first day of fall. More precisely, they are the Sun's positions in the sky at the two exact times when the plane of Earth's equator is the same as the plane defined by Earth's revolution around the Sun.

Heads-Up Display (HUD) Options

In "[Identifying Objects In The Sky](#)" on page 21, you learned that pointing the cursor at an object onscreen causes Starry Night Enthusiast 5.0 to display the object's name, constellation and distance. This feature is known as the Heads-Up Display (HUD). You can change the look of the HUD and also change the information

fields that it displays, by choosing **Preferences** from the **File** menu (Windows) or the Starry Night Enthusiast 5.0 menu (Macintosh) and selecting **Cursor Tracking (HUD)** from the dropbox in the top left corner of the Preferences dialog box.



You can set the HUD to display information only when you are holding down a certain key. This is useful if you find that the HUD information appears too frequently and gets in your way. You can also avoid this problem by moving the "Mouse is idle for..." slider farther to the right. This slider controls how long the cursor must be pointing at an object before the HUD information is displayed.

Unchecking the "Show info only when over an object" option causes the HUD information to appear even when you point the cursor at the black background


sky. This can be useful in determining the co-ordinates of any position in the sky.

A long list of information fields gives you control over which object information is displayed, including name, magnitude, distance, and so on. You can also choose the colour in which you want to display these information fields. If you wish, you can draw each piece of information in the HUD with a different colour.

Finally, you can choose the font, style, and size of the text in which the HUD information is displayed.

OpenGL Options

OpenGL offers improved graphics on computers whose video hardware supports it. You can access the OpenGL preferences by choosing **Preferences** from the **File** menu (Windows) or the **Starry Night Enthusiast 5.0** menu (Macintosh) and selecting **OpenGL** from the dropbox in the upper left corner of the Preferences dialog box. The OpenGL dialog box allows you to select a number of options.



Cross fade slider: Rather than jumping straight into a new scene, instantly load a new Starry Night File (SNF) or label an object, you can add a fade 'break' between actions that change your sky view. Think of it as the fade-in/fade-out effect between images in a photo slideshow. Use this slider to control the cross fade transition timing between actions in Starry Night Enthusiast 5.0.

Use OpenGL: Checking this option will enable OpenGL if your video card supports it. If for some reason, you have an OpenGL graphics card but do not wish to run the OpenGL version of Starry Night, uncheck this box.

Use sub-pixel accuracy when plotting labels: Sub-pixel accuracy gives labels a smooth feel as they move on the screen. However, depending on your video card, this can cause labels to flicker.

Draw stars using polygon smoothing:

Some video cards have trouble doing what's called polygon smoothing and this can cause "blocky stars". By default, polygon smoothed stars are turned off on the PC and turned on on the Mac. If you are experiencing the "blocky star" effect on the Mac you can try turning this feature off. On the PC, if your card supports it, turning this feature on can improve the speed at which stars are drawn; if your card doesn't support it, it can result in stars being drawn slower or having a blocky appearance.

Show specular reflection on planet surfaces: Realistically models the Sun's glare on planet surfaces.

Use prespective correction when showing planet surfaces: Corrects for prespective when viewing planet surfaces.

Use half size textures: Checking this option will save on video graphics memory and should improve performance on slower computers or video cards with less than 32 MB of memory.

Force texture cache size: Specifies the amount of memory cached by your video card.

Tip: If you set the texture cache to only 16 MB, it automatically sets the "use half size textures" option.

Saving Your Settings

Now that you know all of the features for adjusting the appearance of the sky, you may wish to make some changes to Starry Night Enthusiast 5.0's default settings. For

example, you may want Starry Night Enthusiast 5.0 to always open with daylight turned off. Choosing **Options->Save Current Options as Default** will save all of your appearance settings so that Starry Night Enthusiast 5.0 will use these settings whenever you start the program or open a new window. This allows you to set up Starry Night Enthusiast 5.0 to look exactly the way you like, every time you use the program.

Restoring Default Settings. Choosing **Options->Presets->Default** will restore all of the settings in Starry Night Enthusiast 5.0 to the default values you have chosen (or the built-in default settings, if you have never used the **Save Current Options as Default** option).


Multiple Settings: You may wish to create a set of appearance settings that is not used as the default. To do this, set Starry Night Enthusiast 5.0 up the way that you want, then choose **Options->Save Preset...** from the menu. This will open a dialog box that allows you to name your new settings files. Any settings files that you create can then be turned on from the **Options->Presets** menu.

Customizing Print Settings: You may wish to modify Starry Night Enthusiast 5.0's default print settings. To do this, first apply the default print settings by choosing **Options->Presets->Print Settings** from the menu. Next, make any changes to these settings. Finally, choose **Save Preset...** from the **Options** menu and click on the file "Print Settings.sno" in the Save dialog box that opens. This will

replace Starry Night Enthusiast 5.0's default print settings with your own.

Global Preferences. Certain aspects of Starry Night Enthusiast 5.0 are treated differently than your appearance settings (which you save by choosing **Options->Save Current Options as Default**). These aspects are called global preferences. When you change a global preference, the change will be saved automatically (there is no need to choose **Options-> Save Current Options as Default**). All of the options in the **Preferences** menu are global preferences.

Tip: You can restore the global preferences which initially accompanied Starry Night Enthusiast 5.0 by choosing **Preferences** from the **File** menu (Windows) or the Starry Night Enthusiast 5.0 menu (Macintosh) and pressing the **Factory Defaults** button in the Preferences dialog box.



Chapter 4

Sky Data

This chapter will show you how to use several different Starry Night Enthusiast 5.0 features and functions that teach you more about the night sky and give you more information about astronomical events and the sky in general. In the next chapter, “[Object Data](#)” on page 59, you will learn how to access information about specific objects.


***Note:** Some of the features in this chapter require an Internet connection. If you are not connected to the Internet when you try to access these features, Starry Night Enthusiast 5.0 will try to connect you. If you do not have Internet access, you will not be able to make use of these features. All of the features in the **LiveSky** menu require an Internet connection. If you are using a feature that requires downloading information from the Internet, and the download is going too slow, you can choose **LiveSky->Stop Downloads** to abort the download.*

SkyGuide

Dozens of interactive multimedia tours await you in the **SkyGuide** pane. These in-depth experiences reveal the fascinating science and history of the solar system, the stars, the galaxies, the beginning of time, and the fate of the universe. It also includes daily headline news on astronomy and step-by-step instructions on how to use the most common Starry Night Enthusiast 5.0 features.

There's no interface to learn: it works just like a web browser!

As you and SkyGuide explore together, you will learn tips for navigating the sky, fun facts of the solar system, seasonal tours of the sky, and much, much more. Throughout this multimedia matrix you'll discover images and movies to enhance the experience.



This section highlights some of the main features in SkyGuide.



Click on the tab named SkyGuide to open the

SkyGuide panel.

From the home SkyGuide page you can select five main options:

Weekly sky events: Takes you to a listing of all the major celestial events for the upcoming week.

Daily headline news: The latest astronomy and hobby news. This is a page devoted to amateur astronomers and space enthusiasts, written by professional space journalists. It is updated daily and has lots of skywatching tips, plus topical stories on astronomical events (new comets, meteor showers, planet conjunctions, and much more). Many of the stories are illustrated with graphics created with Starry Night Enthusiast 5.0. An internet connection is required to view this content.

Enter SkyGuide: Begin your exploration of the night sky here. This link will take you to dozens of interactive tours - your passport to a voyage through the universe.

Starry Night features: Highlights the main features of your program. We highly recommend that you read through this section.

Starry Night basics: Review the basic controls and functions in Starry Night Enthusiast 5.0.

To start exploring the main SkyGuide content, select the **Enter SkyGuide** link. The SkyGuide menu is divided into seven

major categories:

Welcome Tour: A self-running guided introduction to Starry Night and the things you can do.

Quick Find: Find a planet, star, constellation and other interesting objects. These lists of objects are usually organized by season, letting you know when they can be best observed.

First Night Out: An introduction to the night sky and how to navigate your way around.

Night Sky Tours: Guided tours of selected objects in the night sky. Take a seasonal tour of the night sky or explore the images taken by space observatories.

Our Solar System, the stars and our galaxy: An introduction to objects in our solar system and beyond. This section tells you what to look for and how to locate them in the night sky.

Record holders: What is the largest planet in our solar system? Which one is the hottest? Find out the answers in record holders.

Dictionary: A list of the most common astronomical terms.

We suggest you start with the **Welcome Tour** and then explore the other sections of SkyGuide. Have fun browsing!

SkyCalendar

The SkyCalendar is your portal to weekly astronomical events, solar and lunar eclipses, Moon phases, regional star parties and more. You can also import and view other calendars (using the standard vCalendar format).

 To open the SkyCalendar, click on the **SkyCalendar** side pane.



At the top of the SkyCalendar pane is a window that lists all the event calendars. At the bottom of the pane is a monthly calendar with Moon phase information. Between the list of calendars and the

At the top of the SkyCalendar pane is a window that lists all the event calendars. At the bottom of the pane is a monthly calendar with Moon phase information. Between the list of calendars and the

Moon phase calendar is the description fields for an event.

Viewing a calendar event: The calendar events window lists the calendars that come with Starry Night Enthusiast 5.0. Each calendar has a name such as Lunar & Solar Eclipse or Upcoming Events.

 You can click on the info icon to the right of each calendar name to learn more about that calendar.

 To view a calendar event for any of the calendars listed, click on the expand icon to the left of the calendar name. This will display a chronological listing of all the events for that calendar. Clicking on an event will highlight it and display the details and other options for the event.

*Note: Calendar events are updated frequently. To download the latest event data available select **LiveSky->Update Comets/Asteroids/Satellites** from the main menu.*

Each event contains the following information fields.

Event name: The name of the calendar event.

Start/Finish: The start and finish times for the event.

Location: The location of the event.

URL: An Internet link with additional information about the event.

Description: A detailed description of the event.


Depending on which calendar event you select, you may see one of the following control buttons.

Web: An option when viewing an upcoming event. If an Internet link with additional information about the event is available, you can click on this button to open your web browser.

View Event: An option when viewing an upcoming event. Clicking this button will display the celestial event on the main sky window.

Home View: An option when viewing lunar and solar eclipse events. Places you at the event time looking in the proper direction, as seen from your home location. If the event is not visible at all from your location at this time, this option is grayed out.

Best View: An option when viewing lunar and solar eclipse events. Places you at the best time and place to watch the event. For example, selecting Best View for a solar eclipse places you on the surface of the Moon.



By default Starry Night Enthusiast 5.0 lists all calendar events. You can also select to only display events for this week, this month, this year or even just past events. To customize

the events shown in the calendar window, select an option from the dropbox on the upper left of the **SkyCalendar** pane.

Searching for an event: If you are interested in finding a specific event, such as a lunar eclipse or an occultation, click on the dropbox on the upper left of the SkyCalendar pane and select one of the find options in the menu. You can select to search for events that contain, begin with or end with. If you want to exclude a class of events, select **not containing**.



Browsing events with the Moon phase calendar: The Moon phase calendar offer a quick way to glance at Moon phase information for any month of the year. To change the month and year displayed on the moon phase calendar, use the year and date buttons immediately above the Moon phase calendar.

You can click on a date you are interested in on the moon calendar, and the date in Starry Night Enthusiast 5.0 will switch to that date. To enable this option, you must first select "Set current view to date" from the dropbox menu at the bottom of the Moon phase calendar. You can also have the calendar window show only the events for the date you clicked on in the Moon phase calendar. To enable this option, select "For dates selected in calendar" from the dropbox menu at the top of the **SkyCalendar** pane.

Tip: You can select multiple dates on the Moon phase calendar by holding down the

Shift key on your keyboard when clicking on subsequent dates.

Calendar icons: Some dates on the Moon phase calendar will have small icons. These icons are there to alert you to events.



The telescope icon symbolizes a star party.



The star icon represents an upcoming or interesting celestial event.

You can toggle the icons displayed on the Moon phase calendar on and off by using the checkbox to the left of a calendar's name in the calendar window.

Lunar & Solar Events Calendar: The events in this calendar fall into several different categories you might not be familiar with.

Total Solar Eclipse: An eclipse of the Sun where the Moon completely covers the Sun.

Annular Solar Eclipse: An eclipse of the Sun where the Moon passes directly in front of the Sun, but does not completely cover it. At the eclipse's peak, a ring of sunlight still shines around the Moon's edges.

Partial Solar Eclipse: An eclipse of the Sun where the Moon covers only part of the Sun. The sky does not darken noticeably during a partial eclipse.

Total Lunar Eclipse: An eclipse of the Moon where Earth crosses between the Sun and Moon, blocking sunlight from reaching any of the Moon's surface. Dur-

ing a total eclipse, the Moon darkens slightly and takes on a reddish colour.

Umbral Lunar Eclipse: An eclipse of the Moon where Earth crosses between the Sun and Moon, blocking sunlight from reaching only part of the Moon's surface. This part will appear darker than the rest of the Moon.

Penumbral Solar Eclipse: An eclipse of the Moon where Earth crosses between the Sun and Moon, but only partially blocks the Sun's light. Because some light still reaches all parts of the Moon, the Moon does not darken noticeably during a penumbral eclipse.


***Note:** The list of Lunar & Solar Events is not customized for each location on Earth. This means that not every event listed will be visible from your location. A total solar eclipse, for example, may appear as a partial eclipse from your location, or may not be visible at all. Use Starry Night Enthusiast 5.0 to help you find out if an event is visible from your location.*




***Tip:** If an eclipse is not visible from your location, select **Best View** to view from the*

*Moon. Zoom in to see which areas of Earth are seeing a partial eclipse (anywhere inside the large shadow) and which areas are seeing a total eclipse (anywhere inside the tiny circle in the middle of the shadowed area). Then stop time, right-click the mouse (**Ctrl-click** on the Mac) on an area inside the smaller circle, and click **Go There** from the popup menu. This will change your location to the exact spot on Earth where you clicked the mouse, so you can watch the eclipse from Earth.*

Importing a calendar: You can import any calendar into Starry Night Enthusiast 5.0 from a file or from a URL (internet link). The calendars you can import must be in the vCalendar format and end with a .ics file extension.



To import a calendar from an internet link, select **From URL** from the dialog box on the upper left of the Add Calendar dialog box.



Tip: A good source for calendars in the vCalendar format is <http://icalshare.com>. If you copy a link to your clipboard, it might start with `webcal://`. Change this to `http://` and then paste it in the URL text box.

Type in or paste the internet link and press the **Get** button to start the download process. When the download is completed, click the **Ok** button to save the calendar and add it to the calendar window.

To import a calendar from your hard drive, select **From File** from the dialog box on the upper left of the Add Calendar dialog box.



Click the **Select File** button to open a dialog box where you can choose the location of the file you want to import.

After you have selected the calendar file, click the **Ok** button to save the calendar and add it to your list.

DVD Movies

Over an hour of multimedia videos are included with Starry Night Enthusiast 5.0 on a separate standalone DVD - "SkyTheater". These videos explore topics

that range across the entire field of astronomy, from observing satellites to hunting comets. The videos will help you learn more about astronomy, and will increase your enjoyment of Starry Night Enthusiast 5.0.


LiveSky Pane

Although Starry Night Enthusiast 5.0 has a wealth of built-in astronomical information, much more information exists on the Internet. LiveSky is a gateway to the rich resources of the Internet. You can use LiveSky to locate information on the Internet for any object, or to access live, up-to-the minute data and images for certain celestial phenomena.

This section shows you how to use LiveSky to access live images for celestial phenomena.

"[LiveSky.com Object Database](#)" on page 73 will show you how to use LiveSky to locate Internet information for specific objects.

LiveSky Open the Livesky side pane to access live images.



At the top of the open **LiveSky** pane will be an image. Beneath the image is information about the image, such as its source and date. Beneath the image information are two buttons.




Clicking this button opens the image in a new, larger, window.



Clicking this button causes Starry Night Enthusiast 5.0 to begin downloading an up-to-date image from the Internet.

Accessing Images: You choose which image will be displayed in the **LiveSky** pane by expanding one of the layers listed beneath the image, and then clicking on an image name.



Clicking on an image name will display the most recently downloaded version of this image. It will **not** attempt to download an up-to-date version of the image - you need to press the **Refresh** button to do this.



Clicking the information icon to the right of an image name will display a brief description of the image.

Types of Images: LiveSky can provide you with up-to-date images of many different celestial phenomena: images of the Sun as seen through different filters and at different wavelengths, plots of the sun's electromagnetic activity, images of auroral activity (northern and southern lights) in Earth's atmosphere, and satellite imagery of Earth. As more types of live planetary images become available online, links to these images will be added to LiveSky.

Status Info




The **Status** side pane provides a handy summary of all of the general information about your sky view - for example, your viewing location, time, and viewing direction. All of the information in the **Status** pane is dynamic - if you change your view onscreen (for example,

by changing your time or viewing direction), the fields in the **Status** pane will automatically update to reflect the new view.

The information displayed falls into three areas: general information, time information and location information.

1 General Information:




Export: Clicking the **Save Info** button will export the information in the **Status** pane to a text file.

Looking: The direction in which you are viewing. Both the distance from the horizon and the compass direction are listed.

Field of View: The exact width and height of your current field of view.

Limiting Magnitude: The magnitude of the dimmest object visible in your current view. Magnitude is a measure of the brightness of objects and is discussed in [“Magnitude” on page 70](#). As you zoom in to smaller fields of view, Starry Night Enthusiast 5.0 automatically shows dimmer objects, or in other words, increases the limiting magnitude.

2 Time:



Universal Time: This field displays the **Universal Time** of your current view. Because of time zones, an astronomical event (such as a lunar occultation) could take place at any of 24 different times, depending on your location. To avoid confusion, astronomers often report event times using a standard time known as **Universal Time**, which is the same everywhere in the world. Universal time is equal to the local time in Greenwich, England (without Daylight Saving Time), 5 hours ahead of Eastern Standard Time.

Local Time: The local time of your current view.

3 Location:




Location: The name of your current viewing location (usually a city name).

Latitude/Longitude: The latitude and longitude of your current viewing location.

Online Telescope Imaging

Starry Night Enthusiast 5.0 includes many images of celestial objects. Another feature actually allows you to capture live photographic images of the sky, by directing a remote telescope and camera over the Internet! Unlike any of the other features in Starry Night Enthusiast 5.0, a small fee is charged to capture images.

Selecting **LiveSky->Online Telescope Imaging** from the main menu will open a web page with instructions on requesting photographic images.



Chapter 5

Object Data

This chapter will show you how to learn more about galaxies, meteor showers, planets, and all of the other marvelous denizens of the night sky. You will first learn about all of the different object databases included in Starry Night Enthusiast 5.0. Next, you will learn how to get more information about any of the objects in these databases. Finally, you will learn how to add your own objects!

***Note:** Some of the features in this section require an Internet connection. If you are not connected to the Internet when you try to access these features, Starry Night Enthusiast 5.0 will try to connect you. If you do not have Internet access, you will not be able to make use of these features. All of the features in the **LiveSky** menu require an Internet connection. If you are using a feature that requires downloading information from the Internet, and the download is going too slow, you can choose **LiveSky->Stop Downloads** to abort the download.*

Introduction to Databases

Starry Night Enthusiast 5.0 includes literally millions of celestial objects, from several different databases.

Accessing Databases: As you learned in chapter 3, “[Appearance of the Sky](#)”, you can use the **Options** side pane to turn databases on/off, turn their labels on/off, or modify the database display options. All of these functions can also be accessed from the main menu, by choosing **View**, **Labels**, or **Options**, respectively.

We'll now briefly describe each of the databases included in Starry Night Enthusiast 5.0. The databases in your version of Starry Night Enthusiast 5.0 may be slightly different from those listed here, as we are continually updating and adding new databases. As you learned in “[Options Pane](#)” on page 28, databases are organized in a layered framework, based on their distance from Earth.

The three major database layers are:

- 1 Solar System
- 2 Stars
- 3 Deep Space

Databases 1 (Solar System)

These databases are for objects that are inside our solar system.

Satellites: This refers to any man-made body orbiting our Earth. Most satellites fall into two distinct types of orbits: **near-Earth orbits** or **geosynchronous orbits**. Satellites in near-Earth orbit move

much more rapidly than Earth rotates, so they move over a large slice of the Earth's surface. Geosynchronous satellites are much farther from Earth. They move at exactly the same speed as Earth rotates, so they stay directly above the same point on Earth's surface at all times. Starry Night Enthusiast 5.0 includes about 50 satellites. Satellite data needs to be updated regularly. See “[Database Updates](#)” on page 63 for information on updating satellite data.

Meteor Showers: This database marks the positions of the major meteor shower **radiants**. The radiant is the point in the sky where all meteors from a given meteor shower appear to be coming from. Meteor showers are formed by comets that come close to the Sun. Heat from the Sun causes dust and rock to break off the comet and gather into a collection of debris that moves along the comet's orbital path. If Earth's orbit crosses this path, there is a meteor shower as the dust particles burn up in Earth's atmosphere. Each meteor shower happens at about the same time each year. This database uses data from the International Meteor Organization and was created by Stephen Hutson.

Asteroids: Small, rocky bodies that are too small to be planets. Most asteroids lie in the “asteroid belt”, a region of space between the orbits of Mars and Jupiter. Asteroid data needs to be updated regularly. See “[Database Updates](#)” on page 63 for information on updating asteroid data.

Comets: These are the small balls of rock and ice which revolve around the sun. Comets have very elliptical orbits, meaning their distance from the sun varies

greatly with time. Comets are usually far away from the Sun, out beyond the orbit of Pluto, too dim to see. Once in a long while, they come close to Earth and the Sun, picking up speed and getting brighter. Starry Night Enthusiast 5.0 includes about 50 comets, including some great comets of yesteryear such as Halley and Hale-Bopp. Comet data needs to be updated regularly, so that any bright new comets are added to Starry Night Enthusiast 5.0's database. See "[Database Updates](#)" on page 63 for information on updating comet data.

Planets/Moons: The Sun, the nine major planets that orbit the Sun, and all of the moons of these planets. In the past few years, many new small moons have been discovered around the outer planets. Starry Night Enthusiast 5.0 includes all of the moons that were known at the time of release. If any new moons are discovered in the future, data for these moons will be available on our website. Choose **View->Check For Program Updates** to see if any new data is available.

Databases 2 (Stars)

This includes not only stars, but all objects that are outside of our solar system, but still inside our galaxy, the Milky Way.

Milky Way: The band of our Milky Way, which stretches across the night sky. The misty band of illumination that we see is actually the combined light of millions of stars. It is possible to adjust the brightness of the Milky Way.

Stars: A star is any body which burns or once burned hydrogen fuel. The energy and light produced in stars comes from the

fusion of hydrogen atoms. As stars grow older, they use up their supply of hydrogen and have to find other sources of energy. When they reach this point, they become either red giants or supergiants, depending on their size. As they continue to use up energy, stars eventually become either white dwarfs or, in the case of very massive stars, neutron stars or black holes.

The star database in Starry Night Enthusiast 5.0 is actually a compilation of 2 databases: the Hipparcos catalogue and the Tycho-2 catalogue.

The Hipparcos and Tycho-2 catalogues come from a European Space Agency project to determine the distance to our nearest stars. The Hipparcos catalogue has about 100 000 stars and the Tycho-2 catalogue has about two million. Find out more about these catalogues on their official web page: <http://astro.estec.esa.nl/SA-general/Projects/Hipparcos/hipparcos.html>

Tip: Our Sun is an ordinary star. However, in Starry Night Enthusiast 5.0, it is a member of the "Planets/Moons" database, not the "Stars" database.

Databases 3 (Deep Space)

This includes all objects outside of our galaxy. It also includes databases that include objects both within and outside of our galaxy. For example, the Messier catalogue includes globular clusters, which are inside our galaxy, but it also includes other galaxies, so it is classified in the "Deep Space" category.

Messier Objects: This category includes the 110 Messier objects, originally catalogued by French astronomer Charles Messier and colleagues in the late 1700's. Messier was trying to identify all "fuzzy" deep space objects that might be mistaken for comets. The Messier objects are a mixture of star clusters, nebulae, and galaxies (plus a few objects that don't fit into any of these categories). Many of the Messier objects are favourite targets for amateur astronomers. For each object in the Messier catalogue, Starry Night Enthusiast 5.0 includes a detailed image and a text description with observing tips.

Bright NGC Objects:

This database is a grab bag of famous deep space objects (mostly star clusters, galaxies, and nebulae) that were excluded from the Messier catalogue for one reason or another. Many of the objects were missed by Messier because they are more easily seen from the Southern Hemisphere, and could only be seen low on the horizon (if at all) from Messier's base in Paris. For each object in this catalogue, Starry Night Enthusiast 5.0 includes a detailed image and a text description with observing tips.

NGC-IC: The NGC/IC (New General catalogue/Index catalogue) is a more extensive listing of star clusters, galaxies and nebulae. It was originally compiled by J.C. Dreyer from 1888-1908 and includes about 13 000 objects. Starry Night Enthusiast 5.0 uses an updated version of this database, compiled by Wolfgang Steinecke and converted into Starry Night format by Peter Enzerink, which fixes many errors in the original catalogue. Find out more about the NGC-IC catalogue on the web at www.ngcic.com.

Tully 3-D Database: A collection of nearly 28 000 galaxies. The neat thing about this database is that it contains 3-dimensional positions of these galaxies. You can use Starry Night Enthusiast 5.0's controls to view the 3-dimensional arrangement of these galaxies. Choose **Favourites->Deep Space** from the main menu to view some sample files that use this database to render some 3-dimensional extragalactic views of our universe.

Hubble/Chandra/Spitzer Images: These databases contain about 100 images taken by space telescopes. A full description for each image is provided in the Night Sky Tours section of SkyGuide. See "[SkyGuide](#)" on page 50 to learn more about SkyGuide.

Databases 4 (Other)

Certain databases are not included in any of the above layers, and are listed separately in the **Other** category of the **Options** pane. Some databases fall into this category because they overlap with one or more of the databases described in the first 4 layers. For example, the **Other** category includes a database of binocular objects. However, many of these objects are already included in the "Messier Objects", or the "Bright NGC Objects" databases, so Starry Night Enthusiast 5.0 would show duplicate markings for these objects, if the "Binocular Deep Sky List" database was also turned on. By default, all of the databases in the **Other** category are turned off, but you can turn one or more of these databases on if it suits your purpose.

Tip: Most of the databases in this category were created by Starry Night Enthusiast 5.0 users.

Database Updates

Our view of the universe will change over the next ten years. New moons will be discovered, bright new comets will streak towards the Sun, and new satellites will be launched into orbit. To ensure that Starry Night Enthusiast 5.0's library of data keeps up with these changes, several update mechanisms are built into the program.

The databases of comets, asteroids and satellites change more frequently than other databases, so Starry Night Enthusiast 5.0 has a special method of updating these databases. Choose **LiveSky->Update Comets/Asteroids/Satellites** and updated satellite, comet and asteroid data files will be downloaded from our website. We update these files several times a week, so you can expect that any new comets, asteroids or satellites will be added as soon as possible. After you have downloaded the new files, you will need to exit and restart Starry Night Enthusiast 5.0 before it will read in the new data files.

You can set up Starry Night Enthusiast 5.0 to automatically update your comet, asteroid & satellite files. The various preferences are in the **LiveSky->Preferences for Auto Updates** menu.



Check For Updates Now... Clicking this button will download the latest comet, satellite, and asteroid data files from the Starry Night website.

Automatically check for updates from StarryNight.com every xx days: Checking this option ensures that Starry Night will automatically connect to our website on a regular basis to update the comet, asteroid & satellite files. The updates will be performed when Starry Night Enthusiast 5.0 is opened. You can control how often Starry Night will attempt to download the files from our website. It is recommended that you update the files at least once every two weeks. This is particularly important for satellites. The position of satellites in Starry Night Enthusiast 5.0 will become unreliable if your data is more than a few weeks old, due to the effects of atmospheric drag.

Ask Before Connecting to the Internet: If you check this box, Starry Night will always ask you before attempting to connect and download files, otherwise the connection will be made automatically.

For objects other than comets, asteroids & satellites, the data does not change as

frequently. However, there will still be changes to existing databases, and occasionally, new databases. You can check to see if any new data is available by choosing

LiveSky->Check For Program Updates from the menu. This connects you to the updates page on our website. If any new databases are available, they will be posted on this page, along with instructions for adding them to your copy of Starry Night Enthusiast 5.0.

Now that you know all of the different databases in Starry Night Enthusiast 5.0, we will look at how to get more information on any of the objects in these databases.

Find Pane Info

In “[Finding Objects](#)” on page 22, you learned that typing in a search for an object produced a list of items found. For each item in this list, the **Find** pane displays several pieces of information:

| Solar System Items | | | |
|--|--|------|--------|
| Name | | Alt | Kind |
| <input checked="" type="checkbox"/> Sun | | -32° | Sun |
| <input checked="" type="checkbox"/> Mercury | | -38° | Planet |
| <input checked="" type="checkbox"/> Venus | | -19° | Planet |
| <input checked="" type="checkbox"/> Earth | | | Planet |
| <input checked="" type="checkbox"/> The Moon | | -29° | Moon |

This opens the object’s **contextual menu**. See “[Object Contextual Menu](#)” on page 65 for information on the fields in this menu.

Select/Deselect: Checking the box to the left of the object’s name in the **Find** pane selects the object and labels it onscreen. See “[Labeling Select Objects](#)” on page 32 for more information on selecting objects.

Text Description: A text description of the object. All well-known objects will have unique text descriptions, with historical information, observing tips, and other cool facts about the object. For non-descript objects such as dim stars, the description will be a generic description for the object type (i.e. red giant star).

Altitude: The object’s height above the horizon. If the object has a negative altitude, it is currently beneath the horizon. If it has a positive altitude that is close to 0°, the object is just above the horizon. An

altitude close to 90° means that the object is high above the horizon.

Kind: The type of object (e.g. comet, satellite, etc.)

Database: The database that the object comes from.

Objects in our solar system also have the following options:

Orbit: Checking this box (to the right of the object name) draws the orbital line of the object. See “[Orbits](#)” on page 91 for more information on solar system orbits.

Semi-major axis: This is the distance between an object and its parent body, at the point when the object is farthest away from the parent body. For a circular orbit, the semi-major axis is equal to the orbital radius.

Object Contextual Menu

An object’s contextual menu provides a list of actions in *Starry Night Enthusiast 5.0* that can be performed on an object. You open an object’s contextual menu by clicking the right mouse button (**Ctrl**-clicking on the Macintosh) while the cursor is pointing at the object.



All of the items in the menu relate to the object that you clicked on. If you were not pointing the cursor at a specific object, the menu gives you options for the appearance of the sky

as a whole and the constellation which you are pointing at. See “[Sky Contextual Menu](#)” on page 27 for information on that menu.

***Tip:** You can also open an object’s contextual menu from the **Find** pane. Type in a search for the object you are interested in, then click the arrow to the left of the object’s name in the list of found items.*

The various options in the contextual menu are described below. Most of these features are discussed in more detail in other sections of the book, so only a brief description of each feature is given in this section. Don’t be overwhelmed! The options are just listed here so that you have a quick reference for all the contextual menu options in one place.

Select/Deselect: This selects or deselects the object. If an object is selected, its name and an arrow pointing to the object will appear onscreen. See “[Labeling Select Objects](#)” on page 32 for more information on selecting objects.

Centre: This adjusts your view so that the object is at the centre of the screen and remains locked in the centre of the screen as time passes. This is handy if you want to watch a planet's motion against the background stars, for example.

Note: If you are centred on an object and it falls beneath your horizon, your view of it will be obscured by the horizon.

Magnify: This zooms in on the object so that you get a close-up view. Objects within our solar system and deep space objects in the Messier and Bright NGC Objects databases all have detailed images. Stars other than our Sun are just shown as points of light, and many of the objects from other databases will just have position markers instead of images.

Go There: This changes your location to the surface of the object in question (if the object is a star, you will be placed nearby). First your viewing direction will change, then you will begin to lift off your current body and fly in the direction of the celestial body you have chosen. Your distance from the Sun will appear along the bottom of the screen as you fly to the new location. The Heads-Up Display (HUD) will identify any objects that you pass by during your journey. The “Go There” option is only available for objects with accurate 3-dimensional position information. There are many other ways to change your location in

Starry Night Enthusiast 5.0. See “[Changing Your Viewing Location](#)” on page 86 for more information. However, the contextual menu is the **only** way to change your location so that you are viewing from another star or galaxy.

Tip: If you zoom in for a close-up of a planet and then right-click the mouse (Ctrl-click on the Mac) and choose **Go There**, your location on the new planet will be the position on the surface where you clicked the mouse. This can be helpful if you want to watch eclipses on other planets. You can zoom in on Jupiter (for example) until you can see the shadow caused by one of its moons passing in front of the Sun. Right-clicking on the shadow and choosing **Go There** will allow you to watch a solar eclipse from Jupiter!

Show Info: This opens the **Info** pane, which displays much more information on the object. All the fields in the **Info** pane are explained in “[Info Pane](#)” on page 67.

Online Info: This will bring up a page on LiveSky which has a listing of web resources with more information about the object.

Objects in our solar system have a few additional entries in their contextual menu.

Orbit: Draws the orbital line of the object. See “[Orbits](#)” on page 91 for more information on solar system orbits.

New Asteroid/New Comet/New Satellite/Add Moon Orbiting... All of these options allow you to add a new object using the Orbit Editor. The type of object that you can add depends on the type of object that you open a contextual menu for. For example, if you open a planet's contextual

menu, the “Add Moon Orbiting...” option appears. See “[Adding Objects \(Orbit Editor\)](#)” on page 74 for more information on adding objects with the Orbit Editor.

Edit Surface Image: An option only for solar system bodies with surface images, this allows you to modify the surface image or replace the image entirely. See “[Surface Tab](#)” on page 78 for more information on orbital elements and the Orbit Editor.

Edit Orbital Elements: An option only for objects that you have added with the Orbit Editor, this allows you to edit the object’s orbital elements. See “[Adding Objects \(Orbit Editor\)](#)” on page 74 for more information on orbital elements and the Orbit Editor.

Delete: An option only for objects that you have added with the Orbit Editor, this allows you to delete the object entirely from Starry Night Enthusiast 5.0’s database.

Enlarge Moon Size: By default, the Moon’s size is enlarged when you are viewing at a large field of view, so that you are able to easily see the Moon’s phase (the Moon is drawn at its correct size when you are zoomed in for a close-up view). By unchecking this option in the Moon’s contextual menu, the Moon will always be drawn at its correct size, but it will be too small to see phase information when you are viewing at a large field of view.

Halo Effects: The Sun’s halo is an atmospheric effect that occurs when the Sun’s light is scattered by our atmosphere. You can turn the sun halo on all the time, off all the time, or on in daylight only. You can also simulate lens flare. If you’re

viewing a total eclipse of the Sun, you will probably wish to leave the Sun’s halo on, as this halo also serves as the Sun’s corona.

***Tip:** To remove the Lens Flare from the Sun, open the Sun’s contextual menu, select Halo Effects and uncheck Lens Flare.*


Info Pane

You were introduced briefly to the **Info** pane in “[Learning More About Objects](#)” on page 25. Recall that you can double-click on any object onscreen to automatically open the object’s **Info** pane. You can also open an object’s **Info** pane by typing in a search for the object in the **Find** pane, then opening the object’s contextual menu from the list of items found. Choose **Show Info** from the contextual menu to open the **Info** pane. The **Info** pane provides a great deal of information about any object, as well as links to several Internet features which can help you learn even more.

***Note:** The **Info** pane for an object differs in function from the object’s contextual menu. The **Info** pane provides **information**, while the contextual menu lists possible **actions**.*

Some of the fields in the **Info** pane are common for all objects, while some fields are specific to certain object types.

- **General Info**



 This button searches our LiveSky Internet site for more information about the object. See “[LiveSky.com Object Database](#)” on page 73 for more information.

Name: The name of the selected object.

Catalogue number: The object’s number in the appropriate astronomical catalogue (if applicable).

Object Type: The object’s celestial type (star, galaxy, planet, etc.).

Bayer: For stars only, this field gives the star’s Bayer catalogue letter, if any. The Bayer letter is from the Greek alphabet. The brightest star in a given constellation is usually named Alpha (the first letter in the Greek alphabet), the second brightest is named Beta, and so on. Only relatively bright stars have Bayer letters.

Flamsteed/Other: For stars only, this gives the star’s Flamsteed number, if any. The Flamsteed system orders stars not by

brightness, but by their position relative to the western boundary of the constellation they are in. The star closest to the western edge is labelled 1. Only relatively bright stars have Flamsteed numbers.

HIP Number/TYC Number: The HIPPARCOS and Tycho project was a study done by the European Space Agency to determine the distances to nearby stars. The Tycho-2 catalogue included about two million stars and the HIPPARCOS catalogue about 100 000. For stars only, these fields give the catalogue numbers of the star in question. Not every star has a HIPPARCOS catalogue number.

More Options: Clicking this button will bring up the objects contextual menu of options.

Extended Info: Takes you to LiveSky and provides a list of web resources containing more information about this object.

Export: Creates a text file with all the information generated in the **Info** pane.

Rise/Transit/Set: The time at which the object rises above the horizon, transits, and sets below the horizon, as viewed on the date and from the location of the active Starry Night Enthusiast 5.0 window. An object’s **transit** time is the time at which it is highest in the sky. At its transit time, an object will be due south in the sky (if you are viewing from the Northern Hemisphere), or due north (if you are viewing from the Southern Hemisphere).

Tip: Clicking on the rise/set/transit buttons will change the time in Starry Night Enthusiast 5.0 to reflect the rise/set/transit times for the object.

- **Description**

Description

Rigel is a giant or supergiant star. Giant stars are large and bright and appear in the upper (brighter) portion of the Hertzsprung-Russell (HR) diagram. Red giants, appearing on the lower-temperature side of the "giant" region of the H-R diagram are stars that no longer burn hydrogen in their core, but can burn hydrogen in an outer shell surrounding a now helium core. They are the next step in the life of a main sequence star like our Sun.

A text description of the object. All well-known objects will have unique text descriptions, with historical information, observing tips, and other cool facts about the object. For non-descript objects such as dim stars, the description will be a generic description for the object type (i.e. red giant star).

Tip:

 You can also open the text description for any object by clicking the icon that appears to the right of an object's name in the list of items found in the **Find** pane.

- **Position in Sky**

Position in Sky

Constellation name: Orion
Constellation common... The Hunter
Constellation possess... Orionis

Azimuth: 76° 28.247'
Altitude: -25° 20.317'

RA (J1990): 5h 14.753m
Dec (J1990): -8° 11.679'
RA (J2000): 5h 14.538m
Dec (J2000): -8° 12.098'

This section lists the constellation that the object is currently in, and the object's positional co-ordinates in many different co-ordinate systems. The meanings of each of these co-ordinates are described in "[Guides](#)" on page 43.

- **Position in Space**

Position in Space

Distance from observer: 776.58 ly
Distance from Sun: 776.58 ly
Proper motion RA: 0.0016 arcsec/ year
Proper motion Dec: -0.0004 arcsec/ year

This section has information on the object's 3-D position in space, if known.

Distance from observer: The object's distance from your current location.

Note: the distances to stars are only given for those stars in the HIPPARCOS catalogue. The distances to stars are known only approximately and should be treated with some caution. The closer a star is, the more accurate its distance

measurement is likely to be. The distances to stars within a few hundred light years are relatively accurate, but distances are much less accurate for stars farther away than this.

Distance from Sun: The object's distance from the Sun.

Proper Motion RA/Dec: Stars are not fixed in space, and most are in fact moving quite rapidly. Because of their great distance from us, however, their positions appear constant. Only on a timescale of hundreds or even thousands of years can we actually see the shifting positions. These fields (for stars only) describe how much the star's equatorial co-ordinates are shifting each year due to the star's motion.

- **Other Data**

The fields that appear in this category depend greatly on the database that the object is from. Different databases will have different information fields.

Star Information Fields: For stars, the following fields are present:

| Other Data | |
|----------------------------|-------------------|
| Variability: | tiny, < 0.06 Mag |
| Radius: | 92 solar radii |
| Double/multiple: | binary, > 10" sep |
| Apparent magnitude: | 0.15 |
| Absolute magnitude: | -6.73 (visual) |
| Temperature: | 9076 Kelvin |
| B-V colour: | -0.03 |
| Luminosity: | 51194 suns |

Variability: This indicates whether a star's apparent magnitude (and, therefore, its brightness) varies with time, and by how much.

Radius: This measures the star's radius, in terms of the Sun's radius. Red giant stars can be hundreds of times larger than the Sun.

Double/Multiple: This field indicates whether a star is part of a multiple star system. About half of the stars in the sky are part of a multiple star system.

Magnitude: This shows a star's **apparent magnitude**, a value which measures its brightness in the sky. The idea for assigning magnitudes originated with Greek astronomer Hipparchus (190-120 BC). He catalogued all the visible stars he could see and assigned them magnitudes from 1 to 6, the brightest stars having a value of 1.

Contemporary astronomers have refined Hipparchus' system, so that the system now includes larger numbers for dimmer stars, and negative numbers for very bright objects. The faintest stars that can be seen by the Hubble Space Telescope are in the 26 to 28th magnitude range — very dim stars indeed!

***Note:** Many newcomers to astronomy get confused by the fact that the greater an object's magnitude, the **dimmer** it is. An object with magnitude -5 is much brighter than an object with magnitude 0, which in turn is much brighter than an object with magnitude 5.*

The Sun has a magnitude of about -28, while the brightest star in the night sky is

the dog star Sirius, which has a magnitude of -1.47. The magnitudes of the planets change, depending on how close they are to Earth, but Venus, Mars and Jupiter can all have lower magnitudes than Sirius. At the other extreme, Pluto has a magnitude of about 14, far too dim to be seen with the naked eye, and even most small telescopes.

Absolute Magnitude: The magnitude we normally use when talking about objects is the apparent magnitude, which compares how bright they are as seen from Earth. But this doesn't tell us much about the intrinsic brightness of an object, because the bodies we see in the sky are spread out over a wide range of distances. The Sun produces the same amount of light as the average star in the sky, but it is far, far brighter than anything else simply because it is so close to us. **Absolute magnitude** tells us how bright objects would appear if they were all at the same distance (the distance we use is arbitrary, but has been chosen to be 10 parsecs). As with apparent magnitude, a lower absolute magnitude means a brighter body.

Temperature: This is the star's surface temperature, given in degrees Kelvin (to get a star's temperature in Celsius, just subtract 273 from its temperature in Kelvins). The Sun has a temperature of about 5700 K.

B-V Colour: This is a way of measuring a star's colour. An average star has a B-V value of around 0. If a star has a negative B-V value it is on the bluish side of the spectrum. If it has a positive B-V value it is on the reddish side of the spectrum. The more negative or positive a star's B-V, the more blue or red it will appear. A star's

colour is directly related to its temperature: blue stars are hotter and red stars are cooler.

Luminosity: Luminosity measures the total light and energy output of a star. It is different from apparent magnitude, because it measures not only visible light, but also the energy released as infra-red waves, X-rays, and radio waves.

Extrasolar planet information fields:

| | |
|-----------------------------|------------------------|
| Extrasolar mass: | 2.410 x Jupiter's mass |
| Extrasolar semi-major axis: | 2.086 AU |
| Extrasolar period: | 1095.750 days |
| Extrasolar eccentricity: | 0.098 |
| Extrasolar inclination: | unknown |
| Extrasolar radius: | unknown |

If you use the **Options** pane to turn on markers for stars with

extrasolar planets, the **Info** pane for stars with extrasolar planets will have additional information fields. This information will also appear in the Heads-Up Display (HUD) when you point the cursor at a star with an extrasolar planet.

Extrasolar mass: The mass of the extrasolar planet, in relation to the mass of Jupiter.

Extrasolar semi-major axis: A measure of the planet's distance from its central star, in astronomical units (AU). 1 AU is the average distance between Earth and the Sun.

Extrasolar period: The time needed for the planet to make 1 complete revolution around its central star.

Extrasolar eccentricity: A measure of the shape of the extrasolar planet's orbit. The larger a planet's eccentricity, the more that its distance from its parent star (and also its surface temperature) will vary throughout its orbit.

Extrasolar inclination: The tilt of the planet's orbit, relative to our viewing position on Earth.

Note: This is a different definition of inclination than is used for objects within our solar system (e.g. comets, asteroids, satellites, moons) because the tilt is measured relative to our viewing position, not to the central body's equator. See "[Orbital Elements](#)" on page 75 for the definition of inclination for objects within our solar system.

Extrasolar radius: The radius of the extrasolar planet.

Solar System Object Information Fields:

For objects within our solar system, the following information fields are present:

| Other Data | |
|---------------------------------|---------------------|
| Radius: | 6051 km |
| Apparent magnitude: | -4.30 |
| Orbit size: | 0.7233 au |
| Angular size: | 23 arcseconds |
| Disk illumination: | 50% |
| Planet oblateness: | 0.00 |
| Mass: | 0.8142 Earth masses |
| Max magnitude from Ea... | -7.08 |
| Length of sidereal day: | 243.0200 days |
| Length of solar day: | 116.7494 days |
| Length of year: | 224.70 days |

Radius: The object's radius (if known).

Apparent magnitude: The object's **apparent magnitude**, a measure of its brightness in the sky. See "[Magnitude](#)" on [page 70](#) for more information on apparent magnitude.

Age: Only an option for the Moon, this gives the Moon's current phase, and the

number of days that have passed since the Moon was last new.

Orbit Size: The radius of the orbit that the object makes around its parent body.

Angular Size: This measures the angular width of the object (the field of view that it occupies in the sky).

Disc Illumination: This shows how much of a planet's face is illuminated by sunlight (the rest is in shadow), as seen from your current position. For example, when the Moon is half full, its disc illumination is about 50%.

Planet oblateness: This measures how much an object is "squished", in other words, how much it deviates from a perfect sphere. A perfect sphere would have an oblateness of 0. The larger an object's oblateness, the more "squished" it is.

Mass: The object's mass (if known).

Max. Mag. From Earth: The apparent brightness of planets and other objects in the solar system changes as the object moves in its orbit, due to the object's changing distance from Earth and the object's disc illumination. This field gives the apparent magnitude of the object when it is at its brightest.

Length of Sidereal/Solar Day: An object's **sidereal day** is the time that it takes to rotate once, relative to the fixed stars. An object's **solar day** is the time that it takes to rotate once, relative to the Sun. This is also the average time between sunrises on the planet's surface. These two time periods differ by a large amount only when the length of a planet's sidereal day is a significant fraction of the length of the

planet's year. On Earth, the time periods are almost identical, with the 24 hour solar day being only four minutes longer than the sidereal day.

Length of Year: For objects that orbit the Sun, a year is the amount of time that it takes for the object to complete one full orbit.

Other Object Information Fields:

The information fields for objects other than stars and solar system objects will vary. Often the only pieces of information are the object's magnitude and angular size.

LiveSky.com Object Database

In "[LiveSky Pane](#)" on page 55, you learned how to use Starry Night Enthusiast 5.0's **LiveSky** pane to access live, up-to-the-minute images of celestial phenomena. You can also use LiveSky to locate information on the Internet for any object.



 You can access the LiveSky database for any object in Starry Night by clicking the

LiveSky.com button in the object's **Info** pane. This will bring up a page on LiveSky which has a listing of web resources with more information about the object. It will also give you the option of searching other sites on the Internet, both general-purpose search engines and astronomy-specific pages, for information on your object.

Example: Finding Web Pages for the Moon

- 1 Open the **Find** pane and type in "moon", then double-click on the Moon's name to centre on the Moon.
- 2 Open the **Info** pane.
- 3 Click the **LiveSky.com** button from the **Info** pane. At this point your web browser should go to our LiveSky database and open a page with several links to websites with more information about the Moon. Click on any of these links to read interesting facts and trivia about the Moon, and to see lots of pictures and figures.

Some of the links in our LiveSky database will appear for all objects (these may be changed if better sources become available). These links are described below.

Digitized Sky Survey: The Digitized Sky Survey (DSS) is a collection of images obtained with two Schmidt telescopes and converted into digital format by the Space Telescope Science Institute. The digitized data allows the user to generate an image of any area in the sky. Clicking this link on our webpage will automatically generate a DSS image of the object you originally clicked on in Starry Night Enthusiast 5.0.

HEASARC Astrobrowse: Clicking this link will search dozens of astronomy databases for information on your object. A new window will open with each database

being searched listed on the left side. When the search for that database has been completed, a green “happy-face” icon will appear beside the name of the database. You can then click the name of the database to retrieve the information.

***Tip:** It is also possible to visit the “front page” of LiveSky by opening a web browser and directing it to www.livesky.com. This page has listings and brief descriptions of astronomy-related websites, sorted into different categories, much like the site Yahoo!, but devoted exclusively to astronomy.*

Adding Objects (Orbit Editor)

Starry Night Enthusiast 5.0 makes it easy to add new objects within our solar system. You can add new comets, asteroids, satellites, planetary moons, and even imaginary new planets! You can also add surface maps to your new objects.

***Tip:** Any major new objects (comets, asteroids, satellites, planetary moons) will be automatically added to Starry Night Enthusiast 5.0 via our automatic data update feature. You only need to add your own objects if they are not automatically added (or if you wish to create imaginary objects). See “[Automatic Database Updates](#)” on page 62 for more information about automatic data updates.*

Adding your own objects to the solar system is a great way to learn about celestial mechanics. You can view the shape, size, and orientation of your new object's orbit, and use sliders to adjust all aspects of the orbit. This feature makes it


clear what each particular orbital element means, and how the orbit is affected when adjustments are made.

To add a new object, first locate the parent body of your new object, either onscreen or using the **Find** pane. The parent body is the celestial object which your new object will revolve around. If you are adding a new planet, comet or asteroid, the parent body is the Sun. If you are adding a new moon, the parent body is the planet that this moon will revolve around. If you are adding an artificial satellite, Earth is the parent body. Once you have located the parent body, right-click on it (**Ctrl**-click on the Mac) to open its contextual menu. This menu will have options for adding new objects (**New Asteroid** and **New Comet** in the Sun's contextual menu, **New Satellite** in Earth's contextual menu, and **Add Moon Orbiting...** in the contextual menu of each planet). Clicking any of these options opens the Orbit Editor dialog box.

***Tip:** There are also options for adding new comets, asteroids and satellites in the **File** menu.*

***Tip:** Not every option for adding new objects appears in an object's contextual menu. For example, the Sun's contextual menu has no option to add a new planet. However, the Orbit Editor lets you change the type of object being added, so just choose **New Asteroid** from the contextual menu, and then change the type of object being added by using the Orbit Editor.*


Orbit Editor: The Orbit Editor dialog box opens with a default view of your new object's orbit. Along the top of the dialog box is a dropdown that allows you to choose



the type of object (planet, comet, moon, artificial satellite, asteroid or planetoid) and a box where you can type in the new object's name.

Beneath these boxes is an image of your new object's orbit. This is actually not a static image, but a functional and resizeable Starry Night Enthusiast 5.0 window. By clicking and dragging the bottom right corner of this dialog box, you can enlarge the Orbit Editor dialog box, making your object's orbit easier to see. You can use the elevation buttons in this dialog box to move closer or farther from your object, and use the Location Scroller to rotate your view of the object's orbit. As you change your object's orbit by adjusting its orbital elements (described in the following section), these changes will be reflected in the image.

Orbital Elements: The **Orbital Elements** tab controls the attributes of your new object's orbit.



A set of orbital elements provides enough information to specify an object's exact orbit about its parent body, and places the

object at a specific point on this orbit at one moment in time. Kepler's laws of motion allow Starry Night Enthusiast 5.0 to calculate the new object's position in its orbit at any other time. There are several different ways to specify a complete set of orbital elements. You can select one of these using the "Style" dropdown in the Orbit Editor dialog box.

***Tip:** The next few sections explain the meaning of each orbital element. However, another way to learn what each element means is to play around with the orbital element sliders. You'll quickly see how these changes affect the orbit of your new object.*

Element Style (Pericentric): The pericentric style is usually used to specify the orbital elements of comets.

- **Eccentricity (e):** Eccentricity describes the shape of an object's orbit. The eccentricity of an object in a fixed orbit has a value between 0 and 1. The larger an object's eccentricity, the more its distance from its parent body varies throughout its orbit. Pluto has the largest eccentricity of any planet in our solar system. Objects in relatively circular orbits have eccentricities near 0, while objects in extremely elliptical orbits (such as many comets), have eccentricities close to 1.
- **Pericentre distance (q):** The distance between the object and its parent body at the point in the object's orbit where it is closest to the parent. Taken together, pericentre distance and eccentricity specify the distance between an object and its parent body at any point in the object's orbit. Pericentre distance is

given in units of AU (astronomical units). For objects in orbit about the Sun, such as comets, pericentre distance is also called **perihelion distance**.

- *Ascending Node*: This angular measurement specifies the point at which the orbit crosses northward through the orbit's reference plane (reference planes are described in "[Reference Plane](#)" on page 77), relative to the Prime Meridian of the parent body.
- *Argument of Pericentre*: Recall that the pericentre is the point in an object's orbit when the object is closest to the parent body. The Argument of Pericentre specifies the angular location of the pericentre, measured in degrees.

This value is determined by measuring the angle between the ascending node and the pericentre, as measured from the centre of the parent body. For example, when the Argument of Pericentre is 0° , the pericentre occurs at the same place in an object's orbit as the ascending node. That means that the object would be closest to its parent body just as it rises up through the reference plane. Likewise, when the Argument of Pericentre is 180° , the object, as it rises up through the reference plane, is at its farthest from its parent.

- *Inclination (i)*: The orbit's elliptical shape lies in a plane known as the orbital plane. Inclination is the angle between the orbital plane and the reference plane, measured between 0° and 180° . Assume the reference plane

is the parent body's equatorial plane. In this case, if the object's orbit lies in this plane, the inclination is 0° , and the object circles the parent body's equator. At an inclination of 90° , the orbit is perpendicular to the parent body's equator, and the object passes over the parent body's north and south poles. An inclination of greater than 90° describes a retrograde orbit.

Cool fact: Spy satellites often have orbits with inclinations close to 90° . From this inclination, they can examine all parts of Earth as it rotates beneath them.


- *Pericentre Time*: The preceding five orbital elements are sufficient to describe the orbit of a new object. However, a value for pericentre time is needed to determine an object's place on this orbital path at any time. The pericentre time is the time (expressed as a Julian day) when the object is at pericentre. Recall that Kepler's laws of motion then allow Starry Night Enthusiast 5.0 to calculate the new object's position in its orbit at any other time.
- *Elements Epoch*: The date (expressed as a Julian day) for which this set of orbital elements will be most accurate. As you move farther away from this date, the accuracy of the object's position will decline, although the change in position is often too small to be noticeable. Nevertheless, for precise work, it is advisable to use a set of orbital elements with an epoch relatively close to the date you are interested in.

Element Style (Near-Circular): The near-circular style is usually used to specify the orbital elements of planets, asteroids, and planetoids. Only those fields different from the pericentric style are described below.

- *Mean Distance:* Objects in circular orbits would travel at a constant distance from their parent body, but since most planetary orbits are slightly elliptical, the distance between an object and its parent is constantly changing. The common practice is to average this distance, and record it as Mean Distance. It is usually measured in AU's.
- *Mean Anomaly (M) and Epoch:* Together, these fields describe exactly where in its orbit a new object is located at the specified time. The “specified time” is the epoch (given as a Julian Day) and the position is the mean anomaly, the angle between the object's position and the pericentre of the object's orbit, as measured from the centre of the parent body.

Tip: Notice that “epoch” has a different meaning in the pericentric and near-circular formats. In the pericentric format, changing the epoch will not change an object's position, but in the near-circular format, it will.

Element Style (NASA Two Line): NASA Two Line Elements (TLE's) are often used to describe the orbit of Earth-orbiting artificial satellites. Describing the TLE format is beyond the scope of this User's Guide. However, you do not need to understand TLE's to use them! If you find the TLE for a satellite, simply copy the element to your clipboard, then press the **Paste TLE From Clipboard** button. Starry Night Enthusiast 5.0 will paste in the new elements. Not all of the fields in a TLE are used by Starry Night Enthusiast 5.0. Fields that are not used will be marked with 'xxx'.



Element Style (AMSAT): This is another style used to describe the orbit of Earth-orbiting artificial satellites. Again, describing this format is beyond the scope of this User's Guide.

Reference Plane: A set of orbital elements is not enough to describe an object's orbit without a reference plane. You can select a reference plane using the dropdown in the Orbit Editor dialog box.

For objects orbiting the Sun (asteroids, comets, planets), the most useful reference plane is the ecliptic plane. For objects orbiting other planets (such as moons and artificial satellites), the most useful reference plane is the equatorial plane of the object's parent body. An astronomical reference plane is dependent upon the time of the observations. Starry Night

Enthusiast 5.0 allows you to choose any of the following reference planes:

- *Ecliptic*: An ecliptic reference plane based on the time of your current Starry Night Enthusiast 5.0 window.
- *Ecliptic 1950*: An ecliptic reference plane based on the position of the ecliptic plane in the year 1950.
- *Ecliptic 2000*: An ecliptic reference plane based on the position of the ecliptic plane in the year 2000.
- *Equatorial*: An Earth equatorial reference plane based on the time of your current Starry Night Enthusiast 5.0 window.
- *Equatorial 1950*: An Earth equatorial reference plane based on the position of Earth's equatorial plane in the year 1950.
- *Equatorial 2000*: An Earth equatorial reference plane based on the position of Earth's equatorial plane in the year 2000.
- *Planet Equatorial*: A reference plane based on the equatorial plane of the object's parent body and the time of your current Starry Night Enthusiast 5.0 window.

Surface Tab: On this tab, you can create a surface for your new object by importing an image file or pasting in information. Click **Add** to select an image file from your hard drive or **Paste** to paste in an image from the clipboard. The **Delete** button removes your custom image. This button will be greyed out if you have not yet added a custom image.





Image size and appearance: There is some restriction on image size. The maximum size is 1500 by 1500 pixels, while the minimum is 25 by 25 pixels. If the picture is too big or too small, your computer will beep twice and not allow the paste. We recommend using images that are about 600 pixels long by 300 pixels high.

Whatever picture you do use, its width is wrapped around the planet, and the height of it will go from pole to pole. Because Starry Night Enthusiast 5.0 maps the image on a sphere, your image will be distorted in the northern and southern latitudes. Keep the important parts of your image near the “equator”. For examples, look at the default images of the planets.

These images can give you an idea of how an object's map relates to the appearance of the planet.

Seams on objects: If you have an image-editing program, such as Adobe Photoshop, you can adjust your images so that the seam (where the end of the pictures meet when wrapped on a planet) is minimized or invisible. Select one end of the picture (for example, the right third of the image), and cut it. Then slide the remaining two-thirds of the image all the way over to the right. Paste in the first piece, and position it so that it is now the left side of the image. You should now have an obvious seam where the two pieces are joined. At this point, you can use the image-editing program to clean up the seam, blending the two sides together so that the join is less obvious. Now select the entire picture and copy it. Then, using the Orbit Editor, paste it into your Starry Night Enthusiast 5.0 object. The place on the object where the two sides of the image meet should now be seamless.

Other Settings: Using the sliders and data boxes in this tab, you can enter information about your new planet's rotation rate, pole positions, diameter and absolute magnitude.



Meridian Position: Sets the position of the object's prime meridian, in J2000 equatorial co-ordinates.

Rotation Rate: Sets the rate at which the new object spins on its axis.

Tidal Lock With Parent: Over time, many objects in the solar system become gravitationally locked, that is, they keep the same face towards their parent at all times. Our Moon is a good example of this phenomenon. Clicking this button automatically locks your object by setting its rotation to match its orbital period.

Pole RA: Sets the right ascension of the object's north pole, in reference to the Equatorial co-ordinate system.


Pole Dec: Sets the declination of the object's north pole, in reference to the Equatorial co-ordinate system.

Diameter: Sets the diameter of your new object, measured in kilometres.

Note: Comet tail lengths are determined as a result of both absolute magnitude and size of the comet nucleus (diameter).

Absolute Magnitude: Sets the inherent brightness of your object.

Saving Changes: Once you have entered all of the data for your new object, close the Orbit Editor. A dialog box will appear, warning you that changes have been made to this database.



Any new objects or changes you have made using the Orbit Editor are not permanently saved until you press the Save button in this dialog box!

If you now open the **Find** pane and clear the text box, you will see your new object listed in its appropriate place among the other solar system objects. You can now centre on the object, turn on its orbit, or perform any of the other functions you can do with solar system objects in Starry Night Enthusiast 5.0.

Updating Data: To change any of the information for any new objects you have added with the Orbit Editor, open the object's contextual menu and choose **Edit Orbital Elements**. This reopens the Orbit Editor and allows you to make any necessary changes.

Example: Adding a new planet

This example shows you how to use the Orbit Editor to add an imaginary new planet to our solar system.

- 1 Choose **File->New Asteroid Orbiting Sun** from the main menu to open the Orbit Editor dialog box.
- 2 Change the object type to "Planet" and name the new object "Planet X".
- 3 The orbit of your new object is shown in red. Use the Increase Elevation button in the Orbit Editor dialog box to rocket out to an elevation of about 25 AU's. The outermost brown orbit which you can see is the orbit of Jupiter.
- 4 Use the Mean Distance slider in the orbital elements section of the Orbit Editor to increase your planet's mean distance to about 20 AU's. As you do this, the red orbit that marks your planet will get larger, eventually encompassing the orbit of Jupiter.
- 5 Close the Orbit Editor window by pressing **Save**.
- 6 Open the **Find** pane and clear the text box. You should see "Planet X" listed just

underneath Jupiter. You can now centre on Planet X, turn on its orbit, or perform any of the other functions you can do with planets in Starry Night Enthusiast 5.0.

You may wish to back up your custom data in case of a computer problem. If you ever change computers, you will also need to move this custom data. This section outlines where each piece of custom information is stored, so you will know which files you need to back up

Windows/Mac File Structure Differences:

Most custom data is stored inside the "Sky Data" folder or the "Prefs" folder. On Windows, the "Sky Data" folder is inside the "Program Files\Starry Night Enthusiast 5.0" folder. On the Mac, you will need to **Ctrl-click** on the Starry Night Enthusiast 5.0 application icon (inside the "Applications" folder) and choose **Show Package Contents**, then open the "Resources" folder to view the "Sky Data" folder. On Windows, the "Prefs" folder is "Program Files\Starry Night Enthusiast 5.0\Sky Data\Prefs". On the Mac, the "Prefs" folder is "Library\Preferences\SPACE.com\Enthusiast".

***Tip:** If you have the space on your hard drive, the simplest way to back up your data is just to back up the entire "Starry Night Enthusiast 5.0" folder (on the Mac, this is the "Resources" folder for the Starry Night Enthusiast 5.0 application). Then you do not have to worry about backing up individual files. On the Mac, you will also need to back up*

the “Library\Preferences\
SPACE.com\Enthusiast” folder.

Settings Files: If you have customized your settings, using the menu option **Options->Save Current Options as Default**, these changes will be saved in the file “Default Settings.sno” in the “Prefs\Enthusiast” folder. If you have used the **Options->Save Preset...** command to create additional settings files, these files (including your print settings) will be saved in the “Sky Data\View Options” folder.


Objects Added With the Orbit Editor: The “UserPlanets.ssd” file in the “Sky Data” folder contains all information for objects added with the Orbit Editor. If you have pasted in surface images for these objects, they will be stored in the folder “Sky Data\Planet Images”.

Modified Images: If you have modified any images of solar system objects by pasting in new images, these images will be saved in the “Prefs\Planet Images” folder under the object’s name. For example, a modified image of the Sun will be saved as “Sun.pct”.

Custom “Favourites” Files: These files are stored in the “Sky Data\Go” folder.

Custom Asterisms: New asterism sets are stored in the “Sky Data\Asterisms” folder.

Calendars: Calendars are stored in the “Prefs\Calendars” folder.



Chapter 6

Bending Space & Time

This chapter will show you how to take full advantage of Starry Night Enthusiast 5.0's planetarium capabilities. You will learn how to start, stop, speed up and slow down the flow of time, and change your location to view from anywhere on or off the surface of Earth - you'll even fly a spaceship! Several examples will help you master the control of time & space.

Time Flow


By default, time in Starry Night Enthusiast 5.0 advances at the same rate as real time. If you run Starry Night Enthusiast 5.0 for one hour, the time onscreen will also advance by one hour. As the time in Starry Night Enthusiast 5.0 changes, the screen continuously updates to reflect the changing sky.

***Note:** This means that the **rate** of time flow is the same as real time, but the time itself may **not** be the same. For example, let's say you open Starry Night Enthusiast 5.0 at 8 p.m. You then change the time onscreen to 1 p.m. and run the program for one hour. At the end of the hour, the actual time will be 9 p.m., but the time that Starry Night Enthusiast 5.0 shows will be 2 p.m.*

Changing Time Flow Rate: One of the nice things about Starry Night Enthusiast 5.0 is that you can change the rate at which time flows. Just like nature programs use time-lapse photography to show processes which take place too slow to see in real time, you can speed up or slow down time to get the best possible views of an astronomical event.



The rate of time flow is shown immediately to the right of the date and time in the toolbar.



Clicking the arrow opens a pull-down menu that displays a list of possible time steps. The steps fall into two categories: multiples of real time, and **discrete time steps**. Time steps that are multiples of real time (i.e. 30x) simply

advance the time in Starry Night Enthusiast 5.0 at a rate equal to a multiple of the real rate of time flow. For example, a time step of 30x would cause the time in Starry Night Enthusiast 5.0 to advance at 30 times the real rate of time flow. Obviously, the larger the multiple, the faster time would advance onscreen. Discrete time steps update the time by a specific increment. For example, a time step of 3 minutes means that every time the screen updates, the time in Starry Night Enthusiast 5.0 is advanced by 3 minutes. Discrete time steps are often useful when simulating astronomical events. For example, assume you wanted to see how Jupiter's position in the sky changes over the next few months. You could set the time to sometime in the evening (for example, 9 p.m.) and then set the time step to 1 day. Starry Night Enthusiast 5.0 would run time forward, showing the sky at 9 p.m. each night. If you had chosen a multiple of real time instead of a discrete time step, you would see an alternating cycle of day and night, instead of seeing the sky at the same time each night.

A few of the discrete time steps listed in the pull-down menu may be unfamiliar to you:

Sidereal day: This is the time it takes for the Earth to rotate once on its axis. It is four minutes shorter than the day we are familiar with, which is called the solar day. The days are not exactly the same length due to the revolution of Earth around the Sun.

Sidereal month: This is the time it takes for the Moon to rotate once around Earth, approximately 27.3 days. This is shorter than the month we are familiar with (the lunar month), again due to the revolution of Earth around the Sun.

Lunar month: This is the time interval between two full moons, as seen on Earth. It is about 29 1/2 days.

Customizing Time Steps:




You are not limited to the choice of time steps that appear in the time step pull-down menu. If you click on the

numerical part of the current time step, it will light up and you can type in a numerical value. This will let you change the time step from 1 day to 7 days, for example.

Time Flow Modes

In the above section, you learned how to change the rate of time flow, but not the mode of time flow. Time simply flowed forward continuously, advancing every time the screen updated. This is known as the “Forward” mode and is one of 5 different time flow modes in *Starry Night Enthusiast 5.0*. You change the time mode using the VCR-like controls in the toolbar.



Single Step Backward: Moves the time backwards by one time step and then freezes time.

Backward: Runs time backwards continuously. Each time the screen is updated, the time moves backward one time step.

Stop: Freezes time at the current value.

Forward (Play): Runs time forward continuously. Each time the screen is updated, time moves forward one time step. This is the default time flow mode.

Single Step Forward: Moves the time forward by one time step and then freezes time.

Tip: If you want to view the sky at a precise time, first press the “Stop” button, and then type in the viewing time. If you type in the viewing time first, the time shown onscreen may update before you can press the “Stop” button.

Specifying Frame Rate: By default, when the time mode is Forward or Backward, the screen is updated continuously. The number of updates performed per second will depend on the speed of your processor and graphics card. You can also specify the number of updates per second. To do this, choose **Preferences** from the **File** menu (Windows) or the *Starry Night Enthusiast 5.0* menu (Macintosh) and choose **Responsiveness**

from the dropbox in the upper left corner of the Preferences dialog box.

The “Requested Frame Rate” slider and textbox allows you to set the frame rate, which is the number of times Starry Night Enthusiast 5.0 will update per second. If you run Starry Night Enthusiast 5.0 on more than one computer, the advantage of specifying a requested frame rate is that any simulations you create using Starry Night Enthusiast 5.0 will run at the same speed on both computers.

Changing Your Viewing Location

For every different location on earth, the night sky reveals a unique face. Australians never lay eyes on the North Star, while stargazers in the northern latitudes find the nearby galaxies known as the Magellanic Clouds forever hidden from view. Our place on Earth determines when the sun rises and sets, where and when the planets sweep across the sky, and what constellations we can see. Or at least it used to. With Starry Night Enthusiast 5.0, you can travel around the Earth, the solar system, and even out to the stars!



The toolbar displays your current viewing


location. To change this location, click on it. A pull-down menu will open. Select the option **Other...** from the menu. This opens the Viewing Location dialog box, which looks similar to the window where you entered your home location the first time that you used Starry Night Enthusiast 5.0. The difference this time is that you are just

setting your current viewing location, not your permanent home location. The three tabs offer different ways of choosing a new location.

Tip: You can also open the Viewing Location dialog box by choosing **Options->Viewing Location** from the main menu.

List: Click on a location from the large list of cities, then press **Set Location**.

Map: Click anywhere on the world map to make this area your new viewing location.



Latitude/Longitude: Manually type in the latitude, longitude and time zone of your new location. Click the **Lookup Lat/Long On Internet** button if you don't know the latitude and longitude of your desired location.

Adding/deleting locations: If you have a favourite observing location(s) that you will be using frequently in Starry Night Enthusiast 5.0 (but is not your home location), and it is not in the Viewing Location dialog box's list of cities, you can add it to the list. To do this, click the Latitude/Longitude tab of the Viewing


Location dialog box, enter the viewing coordinates, then press the **Add Location to List** button, which will prompt you to enter the city and country names for the new location.



To view from this location in the future, just click on the **List** tab of the Viewing Location dialog box, and select your location from the list of cities. To delete a location from this list, just click on the city name, then press the **Delete** key (Windows) or the **Backspace** key (Macintosh).

Animating Location Changes: By default, when you change your viewing location, Starry Night Enthusiast 5.0 will simulate a flight that blasts you off from your current location, and sets you down at your new location. You can turn this feature off by choosing **Preferences** from the **File** menu (Windows) or the Starry Night Enthusiast 5.0 menu (Macintosh), selecting **Responsiveness** from the dropdown in this dialog box, and unchecking the option “Animate changes in location”. You can also change the speed of animated location changes by adjusting this slider. Finally, you can choose to animate only location changes where you move between planets. The next section describes how to change your viewing location to another planet.

Viewing From Other Planets: To view from another planet or moon, open the Viewing Location window and click the **List** tab. Near the top of this window is a dropdown that reads “Earth”. You can open this dropdown and select any of the other celestial bodies in this list.



Once you have selected a new body (for example, Mars), the three tabs in the Viewing Location window behave the same as before, but in relation to your new body. The **List** tab will have a list of craters, volcanoes and other prominent features on Mars, the **Map** tab will show a surface map of Mars, and the **Latitude/Longitude** tab will allow you to type in a new latitude and longitude on the surface of Mars.

Click **Set Location** when you are finished selecting your new location. Starry Night Enthusiast 5.0 will fly you off the surface of Earth, travel through the solar system, and set you down gently on the surface of your chosen planet.

Tip: *The list of locations for the Moon includes not only craters and other prominent geological features, but also the sites of all the Apollo landings!*

Viewing From Stars or Galaxies: You can also view the sky from nearby stars with Starry Night Enthusiast 5.0, but you can't do this from the Viewing Location window. See "[Go There](#)" on page 66 for information on visiting other stars and galaxies.

Returning Home: To return to your home location at any time, press the **Home** button. This will also restore all settings to their default values.

Changing Elevation

All of the options described in the last section leave you on the surface of a planet. You may also want to place yourself at some distance above a planet's surface. You can change your elevation above a planet's surface in Starry Night Enthusiast 5.0 with the elevation buttons in the toolbar, immediately to the left of your location information.

- This button decreases your elevation.
- This button increases your elevation.



As you change elevation, the location information in the toolbar will update to show how high above the planet's surface you are.

Test out the Elevation buttons by shifting your gaze down so that you are looking at the horizon, and then pressing the Increase Elevation button repeatedly to rise off Earth. You will see the horizon drop away beneath you and the planet's outline will begin to appear as you get high enough above the surface. Your changing elevation will be shown in the toolbar. To return to and "land" at your original location, hold down the Decrease Elevation button.

You can use the Elevation buttons while located on any object (the Sun, planets, moons, etc.), thereby achieving some extraordinary views of the solar system.

Note: *When you change elevation, you are still attached to your original location on the planet's surface by a long, invisible pole. Over time, as Earth (or whichever planet you are over) rotates, you also rotate in space. You can tell that you are rotating due to the apparent motion of the sky and stars. See "[Position Hovering Over](#)" on page 90 to learn how to hover over a planet, instead of rotating with it.*

Changing the Elevation Step: You can change the rate at which Starry Night Enthusiast 5.0 increases and decreases your elevation when you use the Elevation buttons. Choose **Preferences** from the **File** menu (Windows) or the Starry Night

Enthusiast 5.0 menu (Macintosh) and choose **Responsiveness** from the dropbox in the upper left corner of the Preferences dialog box. The “Elevation Step” slider controls the sensitivity of the Elevation buttons. By moving this slider farther to the right, you can change your elevation at a faster rate, because each elevation step will be larger.

Location Scroller: The Location Scroller offers another way of changing your location. Your hand cursor icon will automatically change to the Location Scroller once you are elevated high over an object. You can also temporarily change the hand cursor to the location scroller by holding down the **Shift**-key.

If you are using the Location Scroller tool and you click and drag the cursor, your latitude or longitude will change, instead of your viewing direction. Dragging up or down adjusts your latitude, while dragging left or right adjusts your longitude.

Recall that when you use the Elevation buttons to blast off a planet’s surface, you are still attached to the planet by an invisible pole. Imagine that this pole originates at the planet’s centre. Using the Location Scroller to change your location is like changing the direction of this pole, so that it now protrudes from the planet’s surface in a different spot. You are still at the same elevation, but looking down on a different part of the planet’s surface. The planet appears to turn beneath you. This allows you to achieve fantastic views of the planets and solar system. For instance, you can hover a few thousand miles off the surface of Saturn, then use the Location

Scroller tool to turn the planet and view the rings from every angle. The Location Scroller can help you gain a real sense of the three-dimensional relationships between the objects in our solar system.


Example: Viewing The Surface of Earth

- 1 Use the Increase Elevation button to blast off Earth’s surface until the entire globe can be seen onscreen (an elevation of between 6000 and 10 000 km).
- 2 Right-click (**Ctrl**-click on the Mac) on Earth and choose **Centre** from the contextual menu that pops up.
- 3 Click and drag the cursor from the centre of the screen to the left side. This will move you eastward across Earth’s surface.
- 4 Continue clicking and dragging the cursor from the centre of the screen to the left side. Eventually you will pass over the entire surface of the planet. You can see which parts of Earth are in sunlight, and which parts are in shadow.
- 5 Now click and drag the cursor from the centre of the screen to the top of the screen. This will move you southward across Earth’s surface, eventually allowing you to see Antarctica. You can also click and drag the cursor from the centre of the screen to the bottom to eventually see the Arctic.
- 6 Return home by opening the **Options** menu and clicking on the name of your home city.

Location Mode

So far, you have learned how to view from anywhere on a planet’s surface, and how to view from any height above a planet’s surface. In these situations, you are “tied” to the planet, rotating in space as the planet does. Starry Night also offers several

location modes where you are not tied to a planet's rotation. You can access these modes by opening the Viewing Location dialog box. The "View From" dropbox in the top left corner of this dialog box offers five options. The first is the familiar "Surface Of" option. The other four options are described below. These options are quite specialized and you may not ever need to use them.



The Centre Of: This puts you at the centre of the planet or moon in question. It is handy when you want to watch the motion of a celestial object while ignoring the rotation of the planet you are based on. For example, assume you want to see how a comet will move relative to the fixed stars over a night. Placing yourself at Earth's centre allows you to watch the comet's actual motion and ignore the effects of Earth's rotation during the night.

Position Hovering Over: If you are positioned at a high enough elevation above a planet's surface, you can "hover" at that location. Hovering allows you to stay at a constant position above any

object and, as time passes, watch as it rotates beneath your feet.

***Note:** Hovering is only useful if you are relatively high above a planet's surface. Therefore, if you select "Position Hovering Over" when you are on the surface of a planet or at a low elevation, Starry Night Enthusiast 5.0 will automatically increase your elevation to a height that is suitable for hovering. This height will vary depending on the size of the planet. For moons and small planets, you can hover at a lower elevation than you can for large planets such as Saturn and Jupiter.*

Position Moving With: This option allows you to travel together with a planet as it moves through its orbit, but at a fixed distance from the planet (this fixed distance is your elevation). The "Position Moving With" option differs from "Position Hovering Over" because it always keeps you in the same orientation with respect to Earth and the Sun, whereas "Position Hovering Over" keeps you in the same orientation with respect to the background stars. Assume you choose "Position Hovering Over" and set yourself high above Earth looking at the bright (sunlit) side of Earth. If you play time forward for six months, you will end up viewing the dark side of Earth, because Earth has moved 180° around the Sun, but you are still facing in the same direction, relative to the background stars. If you instead set your location choosing "Position Moving With" and select the "Beside (Sun Side)" option, you will always view the bright side of Earth, no matter how long you play time forward.

Stationary Location: This option places you at a fixed location in space, relative to the Sun. Stationary locations can be entered as heliocentric ecliptic Cartesian co-ordinates or heliocentric ecliptic spherical co-ordinates. For Cartesian co-ordinates, the position on the ecliptic plane is given by X and Y coordinates. The Z coordinate takes the location out of the plane of the ecliptic. For spherical co-ordinates, “radius” is the distance from the Sun’s centre, “theta” is the position angle from the ecliptic plane, and “phi” is the position angle along the ecliptic plane. Heliocentric means that the Sun is the centre of the coordinate system, so the point (0,0,0) is at the centre of the Sun, using either Cartesian or spherical co-ordinates.

***Note:** When you switch from a location on Earth to a stationary location, the initial co-ordinates listed are the current heliocentric co-ordinates of your current Earth location. If you select these co-ordinates and advance time forward, you’ll quickly be left behind as Earth continues on in its orbit, while you remain at the same position in space.*

Planet Fly-bys: There are times when you may want to watch a celestial event from a fixed point in space. Using the elevation controls, rise above a planet and then switch to a fixed heliocentric location. Increase the rate at which time flows and you can watch a planet fly past in its orbit. If you have elevated from the planet’s surface in the direction that it is traveling, you pass directly through the planet as it moves forward in its orbit!

***Tip:** Noon or midnight is a good time to try fly-bys, since you are lifting off in a direction that is perpendicular to the direction of the planet’s orbit.*

Orbits


For any body in the solar system, Starry Night Enthusiast 5.0 allows you to draw the orbit of this body onscreen. This is of limited value when your location is on the surface of Earth. However, now that you know how to change location, the ability to show planet orbits can come in very handy. Object orbits are most useful when you are at an elevation high above the north pole of the parent body of the orbiting object. For example, to view the orbits of the planets, an ideal viewing location would be at an elevation high above the north pole of the Sun. To view the orbit of the Moon or the orbits of artificial satellites, an ideal viewing location is high above Earth’s north pole.

| Name | Orbit |
|--|-------------------------------------|
| <input checked="" type="checkbox"/> Sun | |
| <input checked="" type="checkbox"/> Mercury | <input type="checkbox"/> |
| <input checked="" type="checkbox"/> Venus | <input checked="" type="checkbox"/> |
| <input checked="" type="checkbox"/> Earth | <input type="checkbox"/> |
| <input checked="" type="checkbox"/> Moon | <input type="checkbox"/> |
| <input checked="" type="checkbox"/> Satellites | |
| <input checked="" type="checkbox"/> Mars | <input checked="" type="checkbox"/> |

To display the orbit of any object in our solar system, open the **Find** pane, and clear the text box. This will display the list of solar system objects. The Orbit column is the first column to the **right** of the object name. Checking this box for a particular object turns on the orbit for this object, and unchecking the box turns the orbit off. You can turn on orbits for more than one object at the same time.

Tip: You can also turn on the orbit of a solar system body by right-clicking (Ctrl-click on the Mac) on the object and choosing **Orbit** from its contextual menu.

This image shows the orbit of Jupiter. Key points in the orbit are marked with special indicators.



Orbit Markers: The **ascending node** of the orbit — the point at which the planet crosses up through the ecliptic plane — is marked with a solid wedge. The **descending node** of the orbit — the point at which the planet crosses down through the ecliptic plane — is marked with a hollow wedge. The point at which the orbit comes closest to the parent body — the **pericentre** — is marked with a bar. You can turn off orbit markers by choosing **Preferences** from the **File** menu (Windows) or the Starry Night Enthusiast 5.0 menu (Macintosh), choosing **General** from the

dropbox in the upper left corner of the Preferences dialog box, and unchecking the box marked “Show node markers on orbit lines”.

Orbit brightness: You can adjust the brightness of object orbits by choosing **Preferences** from the **File** menu (Windows) or the Starry Night Enthusiast 5.0 menu (Macintosh), and selecting **Brightness/Contrast** from the dropbox in the upper left corner of the Preferences dialog box. This dialog box has a slider which lets you make orbits brighter or dimmer.

Orbit Colours: You can choose the colour in which you want to display the orbits of comets, asteroids, and satellites. See “[Comet, Asteroid & Satellite Display Options](#)” on page 37 for more information. You cannot modify the orbit colours for planets.

Example: Viewing The Solar System From Above

This example combines many of the different techniques in Starry Night Enthusiast 5.0 for changing your viewing location.

- 1 Select **Options->Viewing Location** to open the Viewing Location dialog box. Click the **List** tab.
- 2 From the dropboxes along the top of the dialog box, select View From “The Surface Of” “Sun”.
- 3 Click the **Latitude/Longitude** tab and change your latitude to 90° N. Press the **Set Location** button. This will change your location to the north pole of the Sun.
- 4 Use the Increase Elevation button to increase your elevation until you are 60 AU above the north pole of the Sun. As you move higher, you will see several of the

"stars" in the sky move away. These "stars" are actually planets, as you will see in a minute.

5 Right-click on the Sun (**Ctrl**-click on the Mac) and choose **Centre** from the contextual menu.

6 Open the **Options** pane and expand the Solar System layer. Check the box for "Planets/Moons". Click on the words "Planets/Moons" to open the Planets/Moons Options dialog box. In this dialog box, check the "Labels" box. You should now be able to see labels for all the planets.

7 Open the **Find** pane and check the orbit column for all planets. You do not need to turn on the orbits of moons, asteroids, or comets. You should now be able to see a view of the entire solar system onscreen.

8 Change your time step in the toolbar to a discrete value of 20 days, then press the Forward button to start time moving forward. You can see the planets moving around the Sun.

9 The innermost planets will be too close to the Sun to really see. Use the Decrease Elevation button to reduce your elevation to about 10 AU (so that the orbit of Saturn approximately fills the screen). You can see that the inner planets move much more rapidly. Change the time step to a discrete value of 3 days to slow down the motion of the planets.

10 Press the Stop button in the time controls to stop the motion of the planets. Click and drag the mouse (while holding down the **Shift**-key) to shift your view of the solar system. You should be able to adjust your view so that all of the planet orbits (with the exception of Pluto) fall into a straight line. You are now viewing along the plane of the ecliptic.

Spaceship Mode

Spaceship Plug-in your joystick—or use your keyboard controls—to fly an intergalactic spaceship anywhere within a virtual cube of real space objects, 700 million light-years on a side!

Spaceship mode lets you change your location in a completely different way than using the Go There option. It lets you interactively drive through the universe. Pressing the **Spaceship** button lifts you above the Earth's surface and calls a heads-up display similar to the ones fighter pilots use. The area inside the blue rectangle is called the **viewport**, and the motion of the spaceship is always towards the area of sky at the center of the viewport. To turn off spaceship mode, press **Spaceship** again.



Speed: Two gauges beneath the main display measure the motion of your spaceship. The top gauge measures your velocity or speed. In order of increasing speed, the markers are green, yellow, orange and red. If you are in the green range, you are traveling beneath the speed of light, while yellow, orange and red are

all-greater than the speed of light. Your speed is also shown in a numerical format beneath the two gauges. It is given in km/s for sublight speeds or units of 'c', which is the speed of light. Values greater than 1c are greater than the speed of light. The lower gauge indicates how fast you are accelerating or decelerating (i.e. changing your speed). If your speed is increasing, this gauge will be green, while if your speed is decreasing, the gauge will be red.

Closest Object: The position of the closest object inside the viewport is marked by cross-hairs on the display screen. The name and distance to the object are shown just to the right of the display. You may also see a second object marked by cross-hairs, which is outside the viewport. If so, then this object is even closer than the object marked inside the viewport. If no second object is marked by cross-hairs, then the object inside the viewport is the absolute closest object.

Piloting the Spaceship

```
Accelerate: A
Decelerate: Z
Roll Left: Keypad-7
Roll Right: Keypad-9
Pitch Up: Keypad-2
Pitch Down: Keypad-8
Yaw Left: Keypad-4
Yaw Right: Keypad-6
Joystick: not detected
```

Hook up your joystick and give spaceship mode a try, or you can control the spaceship using keyboard commands.

These keys and their functions are listed in the legend at the top left corner of the screen. Once you become familiar with the keys, you can hide the legend by pressing the F1 key.

If your keyboard does not have a numeric

keypad, you can use the following alternative commands:

Accelerate: A

Decelerate: Z

Roll left: Q

Roll right: W

Pitch up: Up arrow

Pitch down: Down arrow

Yaw left: Left arrow

Yaw right: Right arrow

Pause/restart: P

Accelerate/Decelerate: Speed up/slow down the spaceship.

Pause/Restart: Instantly stop the spaceship. You might need to do this if you are flying towards an interesting object and are moving so fast that the object will disappear from view before you can slow down using the deceleration key. If the spaceship is already paused, pressing this key again will unpause the spaceship.

Roll, Pitch, Yaw: All of these keys change the direction of your spaceship. Roll rotates the spaceship, pitch shifts the spaceship up or down, and yaw shifts the spaceship left or right.

Joystick: Lets you know if a joystick is plugged in.

Spaceship tips for the rookie pilot:

- 1 Practice your flying skills in the vicinity of Earth first. Once you feel comfortable with the controls, venture out to other space objects.


- 2 If you want to fly towards a specific space object, first use the **Find** pane to centre on that object. You can then turn spaceship mode on and fly directly towards the object.
- 3 Slow down! As soon as an interesting object comes into view, begin decelerating. Otherwise, it'll quickly pass you by.
- 4 When flying outside the Milky Way galaxy, point your spaceship towards areas that are densely populated. Soon you'll be moving through a crowded region of space, one of the galaxy clusters the universe seems to enjoy building. As you move even closer, each of these points will resolve into a separate galaxy.

Example: Viewing the Tully Collection

- 1 Press the **Home** button.
- 2 Use the **Increase Elevation** button to blast off until you are about 100 000 light year from the Sun. The Milky Way galaxy will be in view at this distance.
- 3 Use the Location Scroller tool (hold down the **Shift**-key and drag the mouse cursor) to rotate your view of the Milky Way galaxy.
- 4 Use the **Increase Elevation** button to go way out to 800 MLY from the sun. You should see the dataset begin to collapse into a box-like shape. This is the edge of the Tully collection
- 5 Use the Location Scroller tool to rotate your view of the Tully collection. You should see a slice through the middle of the box-like shape that contains very few galaxies. This is the plane of the Milky Way, where we have been unable to identify

many galaxies due to obscuration of the distant galaxies by dust.

- 6 Press the **Spaceship** button and freely navigate through the galaxies in the Tully Collection. There are 28 000 of them to explore!.
- 7 Press the **Spaceship** button followed by the **Home** button to return to Earth.



Chapter 7

Working With Files

In this chapter you will learn about the different types of files you can create with Starry Night Enthusiast 5.0. We'll look at three types of files:

Starry Night Enthusiast 5.0 files: Dynamic files that you open with Starry Night Enthusiast 5.0 to recreate a particular view or celestial event.

Image files: Static colour images of a particular view in Starry Night Enthusiast 5.0.

Movie files: Animation sequences showing an astronomical event such as an eclipse.

What is a Starry Night Enthusiast 5.0 File?

A Starry Night Enthusiast 5.0 file allows you to recreate all the conditions which you used in the program to see a particular celestial event. When you open a file again, it will restore you to the same time, viewing location and viewing direction as when you saved the file. It will also restore the time mode you were using when you saved the file. For example, if you had time playing continuously forward in discrete time steps of one day when you saved the file, time will again move forward one day at a time when you reopen it. Finally, all of your label, guide and sky settings will be restored.

***Note:** Starry Night Enthusiast 5.0 files are saved with the file extension “.snf” at the end of their name.*

Some events for which you may wish to make a Starry Night Enthusiast 5.0 file include an eclipse, a planetary alignment, or a closeup of a galaxy or star cluster. Pre-made files are also very useful for teaching situations. See [“The Favourites Menu”](#) on page 99 to see a sample of pre-made files.

What is a Starry Night Enthusiast 5.0 file **not**? It is not a pre-made animation sequence which shows you blasting off from Earth, for example. All a Starry Night Enthusiast 5.0 file does is establish the initial screen conditions - from then on you have complete control over how the screen view will evolve. If you want to make replayable animation sequences, read the section on [“Making Movies”](#) on page 102.

File Features

| | |
|------------------------------|--------------|
| New | Ctrl+N |
| Open... | Ctrl+O |
| New Comet Orbiting Sun... | |
| New Asteroid Orbiting Sun... | |
| New Earth Satellite... | |
| Close | Alt+F4 |
| Save | Ctrl+S |
| Save As... | |
| Save A Copy As... | |
| Revert | |
| Edit Document Notes... | |
| Make Movie... | |
| Export As Image... | |
| Print... | Ctrl+P |
| Set Home Location... | |
| Preferences... | Ctrl+Shift+P |
| Exit | Ctrl+Q |

Most of the features for working with files are in the **File** menu. These features work similarly to those found in most file-based applications.

***Note:** The **File** menu on the Macintosh looks slightly different, as some of the menu items are in the Starry Night Enthusiast 5.0 menu.*

New File: This opens a new Starry Night Enthusiast 5.0 window with the default settings. The original Starry Night Enthusiast 5.0 window is not closed, so this feature allows you to open as many different windows as you want.

Open: This allows you to open a previously saved Starry Night Enthusiast 5.0 file. A dialog box will open that prompts you to select a file from your hard drive.

Close: This closes the window which is currently active. On Windows computers, this will also exit the application, if you only have one Starry Night Enthusiast 5.0 window open.

Save: Saves your current view as a Starry Night Enthusiast 5.0 file (“.snf”). A dialog box will open that allows you to choose where on your hard drive to save the file. Make sure you save these files to a location that you will easily remember.

Save As: If you are already running a file that was previously saved, this saves the file under a different name and changes the active window to this file.

Save a Copy As: This also saves the file under a different name, but doesn't change the active window to this file.


Revert: This command reverts the window to the last saved version of the active document. If you are not using a file which has previously been saved, this option is not available.

***Tip:** If you have changed a saved file and resaved it, but find you want to go back to the original, you cannot use the **Revert** command, as it can only go back to the latest saved version. However, if you select **Edit->Undo** from the main menu, you can reverse up to the last 50 actions you have performed using *Starry Night Enthusiast 5.0*. Choosing **Edit->Redo** from the menu performs the actions again. You can change the number of actions that can be undone by choosing **Preferences** from the **File** menu (*Windows*) or the *Starry Night Enthusiast 5.0* menu (*Macintosh*), choosing **General** from the dropbox in the upper left corner of the Preferences dialog box, and entering a new value in the "levels of undo" field.*

Exit: Exits *Starry Night Enthusiast 5.0*, shutting down all open windows (on the Mac, this command is **Quit** *Starry Night Enthusiast 5.0*, and it is in the *Starry Night Enthusiast 5.0* menu). If you have not saved changes made to any open documents, you are asked whether you want to save to a file. Usually, when you exit *Starry Night Enthusiast 5.0*, you will not want to save a file, but occasionally

you will. You can eliminate the document save warnings by choosing **Preferences** from the **File** menu (*Windows*) or the *Starry Night Enthusiast 5.0* menu (*Macintosh*), choosing **General** from the dropbox in the upper left corner of the Preferences dialog box, and unchecking the "Show document save warnings" checkbox.

The Favourites Menu



The **Favourites** option in the main menu provides a nice sample of what can be done with *Starry Night Enthusiast 5.0* files.

The bottom half of this menu is subdivided into layers that match the layers in the **Options** pane. Selecting any entry opens a pre-made *Starry Night Enthusiast 5.0* file that shows off some aspect of astronomy.

***Tip:** Take some time to look at the entries in the **Favourites** menu. Remember that the entries are not static images, they are regular *Starry Night Enthusiast 5.0* files which you can then modify using any of *Starry Night Enthusiast 5.0*'s controls.*

Favourites Side Pane: You can also open any of the Favourites files by opening the **Favourites** side pane and double-clicking on the file that you are interested in.



You can open the **Favourites** side pane by clicking on it or by choosing

Favourites->Show Favourites Panel from the main menu.

Customizing the Favourites Menu

The options at the top of **Favourites** menu allow you to customize this menu and add your own files. This can be particularly effective if you are giving a lecture or presentation and need to open a lot of files in a short period of time.

Adding new files or folders: To add a new file to the **Favourites** menu, set up a scene in Starry Night Enthusiast 5.0, exactly as if you were creating a new file (see [“Creating Files - An Example”](#) on page 101 if you are not familiar with creating Starry Night Enthusiast 5.0 files). Then choose **Favourites->Add Favourite** from the main menu. The **Favourites** side pane will open and prompt you to name your file. From now on, your file will be listed at the bottom of both the **Favourites** menu and the **Favourites** side pane, and can be opened in the same fashion as any other file in these menus.

If you plan to add a lot of files to the **Favourites** menu, you may wish to create folders within this menu to subdivide your files and make them easier to retrieve. To do this, choose **Favourites->Add Favourite Folder** from the main menu.


Files and folders in the **Favourites** side pane are “drag and drop”, so it is easy to move them around and arrange them in the order you prefer.

Modifying files: You can modify any of the files listed in the **Favourites** menu. To modify a file, first open the file, from the

Favourites menu, or the **Favourites** side pane. Next, modify the file in any fashion using the Starry Night Enthusiast 5.0 controls. Finally, choose **Favourites->Save Favourite** from the main menu. A dialog box will appear, asking you if you wish to overwrite the existing file. Choose **Replace Favourite** to overwrite the existing file.



Adding notes to files: You can add personal text notes to any file in the **Favourites** side pane. Open the **Favourite** file you want to add a note to and select **File->Edit Document Notes**.



Use the text box to enter any additional information about the file. Then click the **Ok** button. To attach and save your note to the file, you must resave the file from the **Favourites->Save Favourite** menu.

 A small info icon will then appear to the left of the file name in the **Favourites** pane. Click this icon to read your notes. If you wish to edit the note you added, select **File->Edit Document Notes** and resave the file to make the changes permanent.

Creating Files - An Example

This example teaches you how to use the **File** menu to save, open and modify files. You will create a file of the August 11, 1999 solar eclipse.

- 1 Restore Starry Night Enthusiast 5.0's default settings by choosing **Options->Presets->Default**.
- 2 Open the Viewing Location dialog box by choosing **Options->Viewing Location** from the menu
- 3 Click the **List** tab and select Munich, Germany, from the list of cities. Click the **Set Location** button to close the Viewing Location dialog box. The toolbar should now list Munich as your current location.
- 4 Set the time to 12:32:00 PM, and the date to August 11, 1999, then stop time flow. Ensure that Daylight Saving Time is on.
- 5 Open the **Find** pane and clear the text-box to reveal the list of solar system objects.
- 6 Double-click on the Sun's name in the **Find** pane to centre and lock on it. The Sun should now be in the centre of your view, with the Moon almost directly in front of it, but not quite. The sky should still be bright

(if you had previously turned daylight off, turn it back on now).

- 7 Set your time step to a discrete value of 3 seconds in the toolbar.

You now have Starry Night Enthusiast 5.0 set up perfectly to watch the solar eclipse.

- 8 To save your work, select **File->Save**. Name the file "Eclipse from Munich" and save it in the directory of your choice. Once you have saved the file, the main Starry Night Enthusiast 5.0 window should now be called "Starry Night Enthusiast 5.0-Eclipse from Munich", not "Starry Night Enthusiast 5.0-Untitled".

You will now watch the eclipse.

- 9 Press the "Forward" button in the time mode controls in the toolbar. As time flows forward, the sky will gradually begin to get darker. The first object which you will see is Venus, to the bottom left of the Sun. At about 12:38, the sky will go completely dark and all the stars will come out. This lasts only a few minutes before the sky gradually becomes light again. At about 12:42, stop the flow of time by pressing the "Stop" button on the toolbar.

- 10 Close the file by selecting **File->Close**. Select **Don't Save** in the window which asks if you want to save changes. On Windows, this will also exit Starry Night Enthusiast 5.0.


- 11 Restart Starry Night Enthusiast 5.0. After it opens, you should be at your home location at the current time.

- 12 Select **File->Open** and choose "Eclipse from Munich" from the dialog box that opens and prompts you to select a file. Again you are in Munich, Germany at 12:32, looking at the Sun, in the best spot to watch the eclipse. You can

press the "Forward" button on the toolbar to watch it again, if you like.

Exporting Images

You may wish to capture a static image from Starry Night Enthusiast 5.0, for example, one of the spectacular eclipse images you viewed in the exercise in the previous section. To save a view from Starry Night Enthusiast 5.0 as an image, use Starry Night Enthusiast 5.0 to set up the view you want, then select **File->Export as Image** from the menu. This will bring up a familiar Save dialog box. A dropbox near the bottom of this dialog box allows you to choose the format for your new image. You can choose from jpeg, bitmap, pict, and many other popular image formats.



The picture which is saved is an exact duplicate of what you see on your screen inside the main Starry Night Enthusiast 5.0 window.

Tip: *If this feature does not work properly, you may not have installed QuickTime correctly. Reinstall QuickTime from the CD, and be sure to choose the "Recommended Install" option.*

Printing Colour Images: Recall that the **File->Print** option in Starry Night Enthusiast 5.0 prints negative images - black stars on a white background. If you want to print a colour image, you can do this by using the **File->Export as Image** command to save your colour image. Then open this image with a program such as Internet Explorer and print the image using the **File->Print** command in the Internet Explorer menu.

Making Movies

You can make spectacular movies using Starry Night Enthusiast 5.0. You can record a graphically intensive event (such as a planet flyby) and play it back as a smooth animated sequence. Movies are played back using the QuickTime viewer, so you can send them to your friends and colleagues. They need not have Starry Night Enthusiast 5.0 to view the movies.

To make a movie, choose **File->Make Movie**. A dialog box will open that allows you to name your movie file and choose where to save it. The first time that you make a movie, the Compression Settings dialog box will also open. See "[Movie Compression Settings](#)" on page 103 to learn the meaning of the options in this dialog box.

Movie Controls: There are three Movie controls: the Pause button, the Stop button, and the Record button. The Movie window will automatically be in Record mode when it opens.



■ The **Pause** button pauses the recording of the movie. This enables you to adjust your view “offscreen” between frames.

■ The **Stop** button completes the recording process, and closes the QuickTime window.

■ The **Record** button resumes the recording of a movie after it has been paused.

The number of frames in your movie and the total running time are shown in the bottom right corner. A new frame is added to the movie every time the screen is redrawn. Most changes you make in Starry Night Enthusiast 5.0 cause the screen to be redrawn. Switching daylight on or off, changing the labels, and zooming in or out are just a few changes which will cause a new frame to be recorded.

***Tip:** Use the Pause button in the movie controls to make changes to your view “offscreen” without adding frames to your movie.*


The screen is also redrawn whenever the time in Starry Night Enthusiast 5.0 changes, causing new frames to be added to your movie. Therefore, if you have time running forward continuously before you begin making a movie, new frames will be added continuously every time the time changes. For this reason, it is often best to stop time flow before you make a movie. Once your view is set up properly, you can turn the flow of time back on.

When you are finished recording your movie, hit the Stop button along the bottom of the movie window.

***Note:** The Movie Box doesn't record cursors, so you don't have to worry about getting a “hand” in the shot.*

Movie Compression Settings

If you have ever tried to download a video file from the Internet, you know how large these files can be. The same thing can happen with QuickTime movies because they are also composed of a series of still images. If you are using 30 frames per second (the standard rate for television images), this means 900 images for a 30 second video! It is easy to understand how even a short movie can easily be a few megabytes in size. The compression settings dialog box offers different ways to keep your movie files down to a manageable size. This window will open automatically the first time you make a movie




- *Compressor*: This popup lets you choose from several different compression formats. “Sorenson Video 3” is a good all-purpose compression format. Depending on the compression format chosen, a second popup menu may allow you to choose from several colour options.
- *Quality*: The slider lets you adjust the quality of the recording. The better the quality, the larger the file size.
- *Motion*: Within this box you can adjust how many frames per second are displayed when the movie is played back and how often to draw a key frame, and limit the amount of data stored per second to a maximum value.

Tip: After you have set your compression settings once, the *Compression Settings* window will not open automatically when you make subsequent movies. To change your movie preferences, you can select **Preferences** from the **File** menu (Windows) or the *Starry Night Enthusiast 5.0* menu (Macintosh) and press the **QuickTime**

Movie Preferences button in the *General* section.

Playing Back QuickTime Movies

You can use the QuickTime movie player to play back your movies. If you have QuickTime Pro, you can also use it to edit your movies. To play back a movie, double-click the file in the folder where you saved it. Starry Night Enthusiast 5.0 does not need to be open when you play back the movie.



Appendix A

Frequently Asked Questions

This section answers the most common questions about Starry Night Enthusiast 5.0. The most up to date version of this FAQ is available online by choosing **Help->Online Help** from the Starry Night Enthusiast 5.0 menu.

The web version of the FAQ is especially useful for websites mentioned on this page. Their links may have changed since this PDF manual was made, in which case the new links will be in the online FAQ.

If your question still isn't answered, contact us at http://www.starrynight.com/support/customer_question.html.


QuickTime

What is QuickTime and why do I need it?

QuickTime is a tool for manipulating graphics files and constructing and viewing animation sequences. Starry Night Enthusiast 5.0 uses it to allow you to make movies of Starry Night sequences and to save screen images from Starry Night as graphics files. Starry Night will not run at all unless you have version 6.5 or later of QuickTime.

When I install QuickTime, what type of installation should I choose?

You should choose the "Recommended Install" option, as the moviemaking and image exporting features in Starry Night Enthusiast 5.0 will not work properly if you choose the "Minimum Install" option.



I get an error message when I try to install QuickTime.

This usually occurs if the "Temp" folder on your hard drive is full (this is the folder temporarily used by installers, including the QuickTime installer). If there is too much in this folder, the installer may not work properly. You should empty the "Temp" folder (if there are any old files in this folder which you need, move them to another folder) and then run the QuickTime installer again. You should close all other applications, including any anti-virus software utilities, when you run the installer. If you still encounter errors, you may wish to visit Apple's QuickTime page for support help:

<http://www.apple.com/quicktime>.

Registration Number

How do I register my copy of Starry Night Enthusiast 5.0?

We encourage you to register by visiting our online registration page: <http://www.starrynight.com/register>. This allows us to notify you of any bug fixes, updates or new plugins for Starry Night Enthusiast 5.0.

I want to move my copy of Starry Night Enthusiast 5.0 to a new computer. How do I retrieve my registration number?

Choose **Registration** from the **Help** menu (Windows) or the Starry Night Enthusiast 5.0 menu (Macintosh).

I am trying to install QuickTime, and it is not accepting my registration number.

The QuickTime registration screen is only for a more advanced version of QuickTime (QuickTime Pro) that is not included with Starry Night Enthusiast 5.0. Just leave this screen completely blank (no name or number) and press the **Next** button to install the regular version of QuickTime.



Only when you run Starry Night Enthusiast 5.0 itself for the first time do you need to enter the registration number you obtained online.

Installation

I already have a version of Starry Night on my computer. Do I need to remove them before I install ?

No. Starry Night Enthusiast 5.0 will be installed as a completely new program, and you can choose to keep the other version of Starry Night on your computer or remove it.

Support

My questions aren't answered in the manual or this FAQ. Who can I contact?

You can contact us at <http://www.starrynight.com/support> for help with your problems.

Are there any other support resources?

Yes, there is a Starry Night Discussion List for owners of Starry Night to share program information and ask other owners questions. Sign up for this list at http://www.starrynight.com/support/discussion_lists.html. The Usenet newsgroup "sci.astro.amateur" is also a good resource for general questions about astronomy and observing.

Updates/Upgrades

How do I find out if I have the latest version of Starry Night Enthusiast 5.0?

First, retrieve your current version number by choosing **About** Starry Night Enthusiast 5.0 from the **Help** menu (Windows) or the Starry Night Enthusiast 5.0 menu (Macintosh). The first three numbers in the code shown in the bottom left corner are your version number. Then select **LiveSky->Check for Program Updates** from the menu. This will connect you to the updates page on our website, which lists the latest updates. If a newer version is available, click the appropriate link to download the updater file.

Will future updates be free?

Bug fixes and minor feature updates to Starry Night Enthusiast 5.0 will be available as free Internet downloads to existing owners. Major feature updates will be available for an upgrade price.

General Run-Time Problems

I get an error message when I try to run Starry Night Enthusiast 5.0.

This usually means that your computer doesn't meet the required system requirements for Starry Night Enthusiast 5.0. See the next question for the system requirements.

What are the system requirements for Starry Night Enthusiast 5.0?

The minimum requirements are as follows:

Windows: Windows XP, 128 MB RAM and 1 GB hard disc space. OpenGL support requires a 32MB OpenGL compatible graphics card. Minimum screen resolution of 1024 x 768 pixels.

Macintosh: Requires OS X 10.3 or higher and 1 GB of hard disc space. Will not run on OS 10.2 or earlier. OpenGL support requires a 32 MB OpenGL compatible graphics card. Minimum screen resolution of 1024 x 768 pixels.

Starry Night Enthusiast 5.0 runs very slowly on my computer.

Updating the processor speed or the amount of RAM on your computer and video card should speed up Starry Night Enthusiast 5.0.

Some of Starry Night Enthusiast 5.0's controls appear to be missing (or are not drawn properly).

You may not have installed QuickTime correctly. Reinstall QuickTime and be sure to choose the "Recommended Install" option, and you should then see all of the controls. See ["Installing Starry Night Enthusiast 5.0"](#) on page 9 for more information.

When I run Starry Night, it will slow down after about 10 seconds if I am not doing anything. I need to use the mouse or keyboard to speed it up again. (Macintosh only)

This appears to be a problem specific to the G4 processor. Turning off "processor cycling" in the Energy Saver Control Panel should fix the problem.

OpenGL

Do I need an OpenGL graphics card to run Starry Night Enthusiast 5.0?

No. Upon startup, Starry Night Enthusiast 5.0 will check your hardware to see if you have an OpenGL compatible graphics card. If you do not have such a card, Starry Night Enthusiast 5.0 will automatically run the non-OpenGL version. If for some reason, you have an OpenGL graphics card but do not wish to run the OpenGL version of Starry Night Enthusiast 5.0, choose **Preferences** from the **File** menu (Windows) or the Starry Night Enthusiast 5.0 menu (Macintosh), choose **OpenGL** from the dropdown in the upper left corner of the Preferences dialog box, and uncheck the option "Use OpenGL".

What differences will I see if I run Starry Night Enthusiast 5.0 on an OpenGL compatible graphics card?

Starry Night Enthusiast 5.0 will run much faster because it takes advantage of OpenGL's graphics rendering technology. In addition, OpenGL users will see much higher-resolution solar system object surface maps, and photorealistic panoramic horizons. Finally, stars will look more realistic and orbit and path lines will not look as jagged.

I have an OpenGL card but things are still choppy. How do I improve performance?

Upgrading to a 64 MB (or greater) Video Card will significantly enhance OpenGL performance. Switching from millions of colors (32 bit) to thousands of colors (16

bit) can improve performance, but will reduce image quality. Starry Night may run better on PCI based OpenGL graphics cards if 32 or 16 are selected in the "Force Texture Cache Size" box. There may be some choppiness, but the imagery will be improved. If you have an AGP graphics card, you should leave this unchecked. The Use half size textures option in the OpenGL Preferences window should improve performance on slower computers or machines with less memory (regardless of PCI/AGP). If you set the texture cache to only 16 MB, it automatically sets the use half size textures.

I'm getting an error message when I turn OpenGL on. What should I do?

This can happen if you are using an older video driver. You should visit the web site of your video cards manufacturer and download the latest driver available for the make and model of your card. Drivers are usually available in the Support or Download areas of the web site.

Time & Date

Starry Night Enthusiast 5.0 doesn't display the correct time when I start up. How do I fix this?

Starry Night Enthusiast 5.0 reads the time from your computer clock. Make sure it is set correctly there. On Windows, you can access the clock by clicking the **Start** button on your desktop and choosing **Settings->Control Panel**, then double-clicking on "Date/Time" in the list which appears. On the Mac, click on the **System**

Preferences icon on the dock, and then select **Date & Time**.

The correct time is shown in the toolbar when I start Starry Night Enthusiast 5.0, but the sun rises and sets at the wrong time. How do I fix this?

Most likely you have entered the wrong time zone for your home location. Choose **Set Home Location** from the **File** menu (Windows) or the Starry Night Enthusiast 5.0 menu (Macintosh) to see what the time zone is set at, and change the time zone in this window if necessary. If you do not know your time zone, see the next question.

How do I find my time zone?

Time zones are in relation to London, England. People on Eastern Time are 5 hours behind London time, so they should put "-5h" for their time zone. Those on Central Time would enter "-6h" and so on.

Visit the World Time Zone Map at http://aa.usno.navy.mil/AA/faq/docs/world_tzones.html if you do not know the time zone of your home location.

Do the sunrise/sunset times account for the refraction of light due to the earth's atmosphere?

Yes. The bending of light due to the Earth's atmosphere is accounted for by simply lowering the horizon about 1/2 degree. This gives the correct rise and set times for the sun and moon but doesn't affect the relative positions of the stars.

How does Daylight Saving Time work in Starry Night?

When you start up Starry Night, the program checks your computer's date/time settings to find out if Daylight Saving Time is in effect for the current date, and if so, automatically adjusts the sky to account for this. If Daylight Saving Time is "on" in Starry Night, the little icon of the sun immediately to the left of the time in the toolbar will be coloured yellow. Click on this icon to turn off Daylight Saving Time (if Daylight Savings Time is already on, clicking this icon will turn it off). Note that Starry Night only checks to see if Daylight Saving Time is in effect when you open the program. This means that you may have to turn on or off Daylight Saving Time if you change the date from within the program. For example, let's say you open the program in June. Starry Night checks with the operating system and determines that Daylight Saving Time is in effect, so the icon of the sun in the toolbar is lit up. However, you are interested in viewing a solar eclipse in December, so you change the date in Starry Night Enthusiast 5.0 to sometime in December. Starry Night will not automatically turn Daylight Saving Time off. You need to click on the icon of the sun to manually turn Daylight Saving Time off.

Can I get Starry Night to show the time using the 24-hour clock?

Yes. On Windows, Starry Night looks to the Windows registry to determine the time format. If it can't find a registry entry for regional date settings then it defaults to the 12 hour clock. Unfortunately UK

Windows does not automatically place the date format in the registry where Starry Night expects to see it. To work around this, you should open the "Regional Settings" control panel, switch the time format to something other than the current setting, click **OK**, then reopen the "Regional Settings" control panel and switch to the 24-hour clock. After restarting Starry Night it should be using the new time format. On the Macintosh you can reset the time format from the Date and Time control panel. After restarting Starry Night it should be using the new time format.

Can I get Starry Night to show dates in the European format?

Yes. On Windows, Starry Night looks to the Windows registry to determine the order in which to show dates. If it can't find a registry entry for regional date settings then it defaults to the US month, day, year. Unfortunately UK Windows does not automatically place the date format in the registry where Starry Night expects to see it. To work around this you should open the "Regional Settings" control panel, switch the date format to something other than the current setting, click **OK**, then reopen the "Regional Settings" control panel and switch to the UK day-month-year order. After restarting Starry Night it should be using the new date format. On the Macintosh you can reset the date format from the Date and Time control panel. After restarting Starry Night it should be using the new date format.

When I view from off the Earth, the time reads "UT". What does this mean?

UT is short for "Universal Time". This is the same thing as Greenwich Mean Time, and is the time in London, England (not accounting for daylight saving time). Universal Time is used as a standard reference time for astronomical events by astronomers around the world. When you are viewing from a location off the Earth, your old "time zone" does not really apply, so Starry Night uses Universal Time.

Does Starry Night use the Gregorian or Julian calendar for old dates?

Starry Night uses the old Julian calendar for all dates before Oct. 15, 1582, and the Gregorian calendar for all dates more recent than this. The dates Oct. 5-Oct. 14, 1582 do not exist in Starry Night, to account for the ten days which were skipped when the new calendar was introduced.

How do I find the time & date of eclipses?

Select the **Solar & Lunar Eclipses** calendar in the **SkyCalendar** pane to bring up a list of eclipses sorted by date. Click on the one you want and select **Home View** or **Best View**. **Home View** shows you the event from your home location, while **Best View** places you at the event's optimal viewing location.

Viewing Location

I've tried changing my home location, but everytime I restart the program, it

reverts to the old location. How do I change my home location?

You have to change your home location by selecting **Set Home Location** from the **File** menu (Windows) or the **Starry Night Enthusiast 5.0** menu (Macintosh) and changing your location from this window. Any location changes that you make elsewhere in Starry Night Enthusiast 5.0 only affect your current viewing location, not your home location.

My city isn't in the list of cities in Starry Night's Viewing Location dialog box, and I don't know my latitude and longitude. Where can I find this information?

Just click the **Lookup Lat/Long On Internet** button in the **Latitude/Longitude** tab of the Viewing Location dialog box to visit a website with information on finding your latitude and longitude.

See "[How do I find my time zone?](#)" on page 109 if you do not know your time zone.

How do I go to Mars or another planet?

Open the **Find** pane to see a list of planets. Double-click on the name of the planet you wish to visit, to centre on this planet. Then right-click (**Ctrl**-click on the Mac) on the planet and choose **Go There** from the planet's contextual menu.

How do I go to a star or galaxy?

Right-click (**Ctrl**-click on the Mac) on the star you wish to go to. Choose **Go There** from the menu which appears. This will

take you to the star or galaxy, from which you can look back at the Sun.

Internet Database

When I choose Online Info for an object in Starry Night Enthusiast 5.0, it opens using Internet Explorer. How do I get it to use Netscape?

Starry Night uses your "default Internet browser" to access our Internet database. If you want to use Netscape, you must make it your default browser. Learn how to do this for Macintosh: http://home.netscape.com/download/mac_instructions.html or Windows: <http://help.netscape.com/kb/consumer/19971009-21.html>.

Printing & Making Movies

Printing star charts and making QuickTime animation sequences.

How do I print star charts?

Adjust your window to the view you want, then choose **File->Print**.

Can I print images in colour?

You cannot print images in colour by using the **File->Print** command. However, there is a way around this. Set up the screen so that it shows the image you wish to print out. Choose **File->Export as Image**. This opens a window which allows you to save the screen as a graphical image. The bottom left corner of this window has a dropbox which allows you to save the image in several popular formats, such as a "jpeg" or a "pict". Once you have saved

this image, you can open it a program such as Internet Explorer and choose **File->Print** to print out a colour image.

Can I print star charts showing the whole sky?

No, you limited to printing charts with a maximum field of view of 100 degrees. To print a circular full sky chart (which has a field of view of 180 degrees), you need Starry Night Pro.

Neither the Export as Image feature nor the Make Movie feature do anything. What's wrong?

These two features will not work if you chose the "Minimum Install" option when you installed QuickTime. You should reinstall QuickTime and choose the "Recommended Install" option. Both features should then work properly.

Why do the movies I made with Starry Night have distorted colours when I play them back?

This is a result of the compression method which you used when saving the movie. From within Starry Night, choose **Preferences** from the **File** menu (Windows) or the Starry Night Enthusiast 5.0 menu (Macintosh) and then choose **QuickTime** from the dropbox in the upper left corner of the Preferences dialog box, and click the **QuickTime Movie Preferences** button. The "Compression Settings" window which opens allows you to modify the compression settings. The top dropbox in this window is the compression method. If you saw distorted colors in the movies you made, try changing the

compression method. "Sorenson Video 3" is a good compressor which usually doesn't distort the original images noticeably. Also make sure that the "Quality" slider in the "Compression Settings" window is all the way to the right.

Telescopes

Can I control my motorized telescope with Starry Night Enthusiast 5.0?

No, only Starry Night Pro can control motorized telescopes.

Constellations & The Zodiac

How do I follow the Sun's path through the Zodiac over the course of a year?

Set the time to a time of day where the Sun will be above the horizon all year, for example 12 Noon. Select **View->Hide Daylight** to turn off sunlight, so that you can see the background stars. Turn on the Zodiac constellations by choosing the Zodiac stick figures from the Constellation Options dialog box in the Constellations layer of the **Options** pane. Change the time step in the toolbar to a discrete step of 1 day and press the Forward button in the time mode controls to run time forward and watch the Sun move through the Zodiac.

The Sun appears to be in the wrong Zodiac constellation on a given date.

Astrology uses the constellation boundaries as they existed several thousand years ago. Since that time, the

stars have shifted in the sky, due to the precession of Earth, and the astronomical constellation boundaries no longer match the astrological constellation boundaries. Starry Night shows the astronomical constellation boundaries. With Starry Night, you can set the time back to about 600 BC (when the astrological boundaries were set), and you will find that the dates when the sun was in each constellation back then match the astrological dates.

How do I find my birth sign?

Adjust the date and time to your birthdate in the toolbar. If you were born during the day, choose **View->Hide Daylight** to turn off daylight so that you can see the stars as they appeared at the moment of your birth. Turn on the Zodiac constellations by choosing the Zodiac stick figures from the Constellation Options dialog box in the Constellations layer of the **Options** pane and label the Zodiac constellations by checking the Labels option in the Constellations layer. The constellation which the Sun is located in is your astronomical birth sign. This may not agree with your astrological sign, for the reasons given in the previous question.

Solar System Bodies

How do I see the phases of the Moon?

Open the **Find** pane and double-click on the Moon's name. If you get a message saying that the moon is beneath the horizon, click the **Best Time** button. Zoom in on the Moon if you want a closer look. Now change the time step in the toolbar to a discrete value of 1 day. Use the Single Step Forward button in the time mode

controls to watch the Moon's phase change day-by-day. You may have to hide the horizon by choosing **View->Hide Horizon** to keep the Moon in view.

How accurate are the positions of the planets and moons in Starry Night?

The position of the eight major planets should be accurate to within 5 arcseconds for times within 3000 years of the present. The theory used to predict Pluto's position is less accurate: between the years 1885 and 2099, its position is accurate to within 1 arcsecond, but the accuracy will decline significantly outside these dates. The position of our moon should be accurate to within 10 arcseconds for several thousand years in either direction. The theories used to predict the positions of other moons are simpler and therefore potentially less accurate.

Why can't I find Halley's Comet at the Battle of Hastings?

Unfortunately, predicting comet positions on past trips around the sun is one area of astronomy where simulation programs like Starry Night are not very effective. As a comet goes around sun, its orbit is altered by the gravitational influence of the sun and planets in ways that can't be predicted by Starry Night. The gas and dust released by the comet as it gets closer to the Sun also causes the orbit of the comet you are interested in to change. For example, the orbital period of Halley's comet has varied from 76 years to 79 years over the last thousand years. The bottom line is that the orbital elements for a comet in Starry Night are valid only for its most recent trip

around the sun and can't be used to predict its appearance in the more distant past.

How do I add my own objects?

With Starry Night, you can add solar system objects such as asteroids, satellites and newly discovered comets using the Orbit Editor. See "[Adding Objects 1 \(Individual Solar System Objects\)](#)" on page 139 for more information.

I get an error message when I try to update comet, asteroid, & satellite data

If our automatic update is not working for you, you can manually download the latest comet, asteroid, & satellite data files. Links to these files are on our Orbital Elements page: <http://www.starrynight.com/helpPro/orbitalelements.shtml>. This page has instructions for downloading these files and placing them in the correct folder on your hard drive.

Where can I get orbital elements for new objects I want to add using the Orbit Editor?

See our Orbital Elements page at <http://www.starrynight.com/helpPro/orbitalelements.shtml> for this information.

Why doesn't the location of the International Space Station match what I see in the sky?

The orbital elements of artificial satellites (including the ISS) are constantly being adjusted slightly. You should update your comet, asteroid & satellite files from our website. Choose **LiveSky->Update Comets, Asteroids, Satellites** to update these files.

Stars

Where does the star data in Starry Night come from?

The star data for the nearest two million or so stars comes from the Hipparcos/Tycho-2 catalogue, which is the result of a recent mission by the European Space Agency. Find out more about this catalogue at the Hipparcos Project home page: <http://astro.estec.esa.nl/SA-general/Projects/Hipparcos/hipparcos.html>.

How do I search for stars in the various star catalogues?

Open the **Find** pane. For stars in the Hipparcos catalogue, type "HIPxxxxx", where "xxxxx" is the star's Hipparcos catalogue number. For stars in the Tycho-2 catalogue, type "TYCxxx-xxx-x", where "xxx-xxx-x" is the star's Tycho catalogue number.


When I blast off far away from Earth, the stars all appear to group together in a ball around the Sun. Is this the Miky Way?

No, this is a limitation of our star catalogue. Starry Night has distances to about 100 000 stars from the Hipparcos catalogue. Most of the stars in this catalogue are within a few hundred light years of the sun, so as you zoom out farther than this, they appear to cluster around the Sun.

Can I add recently discovered planets around stars other than our Sun?

An updated database of extrasolar planets will be available from time to time on our

website. Choose **LiveSky->Check For Program Updates** to see if a new version of this database exists. This database only marks stars that have extrasolar planets - it does not allow you to actually see the orbits of these planets. A future version of Starry Night may add this feature.




Appendix B

Keyboard Shortcuts

Use these keyboard shortcuts to quickly access features you use frequently.

| Keyboard Function | Windows | Macintosh |
|--|--------------|-------------|
| File Menu (some commands are in the Starry Night Enthusiast 5.0 menu on the Mac) | | |
| New | Ctrl-N | Cmd-N |
| Open | Ctrl-O | Cmd-O |
| Close | Alt-F4 | Cmd-W |
| Save | Ctrl-Shift-S | Cmd-Shift-S |
| Print | Ctrl-P | Cmd-P |
| Preferences | Ctrl-Shift-P | Cmd-Shift-P |
| Exit/Quit | Ctrl-Q | Cmd-Q |
| HideStarry Night Enthusiast 5.0 | | Cmd-H |
| Edit Menu | | |
| Undo | Ctrl-Z | Cmd-Z |
| Redo | Ctrl-Shift-Z | Cmd-Shift-Z |
| Cut | Ctrl-X | Cmd-X |
| Copy | Ctrl-C | Cmd-C |
| Paste | Ctrl-V | Cmd-V |
| Find | Ctrl-F | Cmd-F |
| Centre on | Ctrl-U | Cmd-U |
| Select None | Ctrl-Y | Cmd-Y |
| Show/Hide Info | Ctrl-I | Cmd-I |
| View Menu | | |
| Show/Hide Toolbar | Ctrl-B | Cmd-B |
| Show/Hide Daylight | Ctrl-D | Cmd-D |
| Options Menu | | |
| Viewing Location | Ctrl-L | Cmd-L |
| Go Home | Ctrl-Shift-H | Cmd-Shift-H |
| Show/Hide Options Panel | Ctrl-J | Cmd-J |
| Labels Menu | | |
| Show/Hide Labels | Ctrl-Shift-D | Cmd-Shift-D |
| Favourites Menu | | |
| Show/Hide Favourites Panel | Ctrl-Shift-B | Cmd-Shift-B |
| Save Favourite | Ctrl-S | Cmd-S |
| Add Favourite Folder | Ctrl-Shift-N | Cmd-Shift-N |

| Keyboard Function | Windows and Macintosh |
|---------------------------------|-----------------------|
| Direction Changes | |
| Face North | N |
| Face East | E |
| Face South | S |
| Face West | W |
| Face Zenith | Z |
| Zoom in and out | +/- |
| Move left, right, up or down | Arrow keys |
| Time Controls | |
| Minute forward | T |
| Minute back | Shift-T |
| Hour forward | H |
| Hour back | Shift-H |
| Day forward | D |
| Day back | Shift-D |
| Month forward | M |
| Month back | Shift-M |
| Year forward | Y |
| Year back | Shift-Y |
| Step forward one time unit | U |
| Step back one time unit | Shift-U |
| Increase time step | P |
| Decrease time step | Shift-P |
| Reset to now with realtime flow | R |
| Reset to realtime flow | Shift-R |
| Next sunrise/sunset | TAB |
| Previous sunrise/sunset | Shift-TAB |
| Next moonrise/moonset | O |
| Previous moonrise/moonset | Shift-O |
| View Controls | |
| NGC-IC on/off | C |
| Celestial grid on/off | G |
| Ecliptic on/off | F |
| Constellations on/off | K |
| Labels on/off | L |
| HUD on/off | I |
| Spaceship Mode | |
| Accelerate | A |
| Decelerate | Z |
| Roll left | Q |
| Roll right | W |
| Pitch up | Up arrow |
| Pitch down | Down arrow |
| Yaw left | Left arrow |
| Yaw right | Right arrow |
| Pause/restart | P |



Index

A

- Adding
 - objects 74
- Angular separation 24
- Animating location changes 87
- Apparent magnitude 70
- Argument of pericentre 76
- Ascending node 76, 92
- Asterisms 41
- Asteroids 60
 - updating data 63

B

- Bayer letter 68
- Birth sign, finding 113
- Bright NGC objects 62
 - display options 37

C

- Calendar
 - Gregorian, Julian 111
- Comets 60
 - Halley's 114
 - tail brightness 37
 - updating data 63
- Compression settings 103
- Constellations 41
 - asterisms 41
 - auto identify 41

- boundaries 42
- changing stick figure sets 43
- Contextual menu
 - objects 65
 - sky 27
- Controls 18
- Co-ordinate systems 43
 - heliocentric 91

D

- Databases
 - descriptions 60
 - display options 33
 - other 62
 - turning labels on/off 32
 - turning on/off 31
 - updating 63
- Date, changing 20
- Daylight saving time 20, 110
- Daylight, turning on/off 29
- Descending node 92
- Diameter 79
- Digitized Sky Survey 73
- Discussion List 15
- DVD movies 55

E

- Eccentricity 75
- Ecliptic line 43
- Elevation
 - changing 88
 - displaying 88
- Enlarging Moon 67
- Epoch, of orbital elements 76
- Extrasolar planets
 - information fields 71

F

- Favourites
 - adding new files or folders 100

- customizing menu 100
- menu 99
- modifying 100
- Field of view
 - changing 23
- File menu 98
- Files
 - adding notes 100
 - creating 98, 101
 - eliminating document save warnings 99
 - examples 99
 - saving 101
- Find pane information 64
- Finding objects 22
- Flamsteed number 68
- Fonts in user's guide 9
- Frequently asked questions 105

G

- Galaxies
 - viewing from 66
- Galaxy Filaments 39
- Galaxy Groups 39

H

- Halley's comet 114
- Heads-up display 21
 - options 44
- HEASARC Astrobrowse 73
- Help features 14
- Help, online 14
- Hipparcos catalogue 61
- Home location
 - changing 14
 - finding lat/long 111
 - returning to 88
 - setting 13
- Horizon
 - options for changing 31
- Hover 90

I

Identifying objects 21
 Images
 adjusting brightness 37
 creating 102
 Inclination 76
 Info pane 67
 Installing
 QuickTime 10
 problems 105
 Starry Night 9
 options 10
 questions 107
 International Space Station 114

K

Keyboard Shortcuts 117

L

Labels
 all bright objects 21
 changing colour 40
 changing number of 41
 options 40
 select objects 32
 turning on/off 32
 Light pollution
 options 31
 distant light pollution 30
 turning on/off 29
 Limiting magnitude, determining 57
 LiveSky
 accessing live images 55
 downloading updated images 56
 object database 73
 pane 55
 types of images 56
 LiveSky.com 73
 Local meridian 43
 Location
 animating changes 87

 changing 86
 changing home location 14
 changing mode 89
 changing to other planets 87
 changing to stars or galaxies 66
 finding your home location 111
 hovering 90
 returning home 88
 setting your home location 13
 viewing from heliocentric 91
 Location scroller 89
 Lunar month 85

M

Magnifying objects 23
 Magnitude 70
 absolute 71
 Mean anomaly 77
 Mean distance 77
 Menu 19
 Meridian 79
 Meridian, local 43
 Messier objects 62
 display options 37
 Meteor showers 60
 Milky Way
 adjusting brightness 38
 Moon
 age 72
 cast shadows 36
 enlarging 67
 phases 72, 113
 Moon phase calendar 20
 Moons
 other planets 61
 Movies
 compressing 103
 controls for making 102
 making 102
 playing back your own 104

N

- Nadir 19
- Netscape 112
- NGC-IC catalogue 62
 - bright objects 62
 - display options 37

O

- Objects
 - adding 74
 - contextual menu 65
 - finding 22
 - identifying 21
 - locking on 66
 - magnifying 23, 66
 - panning to 22
 - rise/transit/set times 68
 - selecting 26, 66
 - text descriptions 69
 - turning labels on/off 32
 - turning on/off 31
- OpenGL
 - compatibility issues 108
 - options 45
- Options pane, layers 28
- Orbit Editor 74
 - adding surface images 78
- Orbital elements 75
 - NASA two-line 77
 - near-circular 77
 - pericentric 75
 - reference plane 77
- Orbits
 - adjusting brightness 92
 - changing colours 92
 - displaying 91
 - markers 92

P

- Pane 18
 - find 22

- info 67
- LiveSky 55
- options 28
- status 56

Panning to objects 22

Pericentre distance 75

Planets

- angular size 72
- disc illumination 72
- display options 35
- displaying atmosphere 36
- displaying orbits 91
- extrasolar 71
- fly-bys 91
- going to 87
- hovering over 90
- length of year 73
- mass 72
- maximum brightness 72
- positional accuracy 114
- surface guides 36
- viewing from centre 90

Pole Dec 79

Pole RA 79

Poles, celestial 43

Preferences

- global 47
- HUD 44
- movies 104
- restoring defaults 47

Printing

- colour images 102
- settings 26
- star charts 26

Proper motion 70

Q

Quick Start User Card 9

QuickTime

- installation problems 105
- installing 10
- registration number 10

R

Registering Starry Night 11
 Registration number
 QuickTime 10
 Starry Night 11
 Rotation rate 79
 Running Starry Night 11

S

Satellites 60
 orbital elements 77
 updating data 63
 Saving settings 46
 Scroll bars 19
 Selecting objects 26, 32
 Setting home location 13
 Settings, saving 46
 Shortcuts, keyboard 117
 Sidereal day 72, 85
 Sidereal month 85
 SkyCalendar 51
 importing 54
 Moon phase calendar 53
 opening 51
 searching 53
 viewing 52
 SkyGuide 50
 astronomy news 50
 opening 50
 weekly sky events 50
 Spaceship 93
 controls 94
 flying tips 94
 Specular reflection 46
 Star charts, printing 26
 Starry Night
 controls 18
 Discussion List 15
 files, creating 98
 installation questions 107
 installing 9

 options 10
 problems running 107
 registering 11
 running 11
 system requirements 107
 updates 15
 website 15

Starry Night Companion 9

Stars

 Bayer letter 68
 B-V 71
 changing brightness and color 34
 databases 61
 display options 33
 distances 69
 double 70
 Flamsteed number 68
 going to 66
 information 70
 label options 41
 luminosity 71
 magnitude 70
 proper motion 70
 searching for 115
 temperature 71
 variable 70
 viewing from 66

Starting Starry Night 11

Status pane 56

Sun halo 67

System requirements 107

System time, setting correctly 109

T

Telescopes

 controlling over Internet 58

Time

 adjusting flow rate 84
 changing 20
 controls 85
 customizing steps 85
 discrete steps 84

- modes 85
- returning to present 20
- system, setting correctly 109
- universal 57
- using 24-hour clock 110
- Time zone, finding 109
- Toolbar 18
- Tully 3-D database 62
 - display options 38
 - filaments and groups 39
- Two-line elements 77

U

- Universal time, determining 57
- Updates
 - databases 63
 - program 15
- User images
 - display options 37
- User's guide, outline 8

V

- Viewing direction, changing 19

W

- Website, Starry Night 15

Z

- Zenith 19, 44
- Zodiac, following Sun's path through 113
- Zoom buttons 23
- Zooming in/out 23